

LITERATURE CITED

- Aguilar, R., J. Mas, and X. Pastor. 1995. Impact of Spanish swordfish longline fisheries on the loggerhead sea turtle *Caretta caretta* population in the western Mediterranean. U.S. Dep. Commer. NOAA Tech. Memo. NMFS-SEFSC-361:1-6.
- Aguirre, A.A., Balazs, G., Zimmerman, B. and F.D. Galey. 1994. Organic contaminants and trace metals in the tissues of green turtles (*Chelonia mydas*) affected with fibropapillomas in the Hawaiian Islands. *Marine Pollution Bulletin* 28:109-114.
- Akçakaya, H.R. 1992, Population viability and risk assessment. Pages 148-157. In: D.R. McCullough and R.H. Barrett (eds.) *Wildlife 2001: Populations*. Elseviers Publishers; London, England.
- Arenas, P. and M. Hall. 1992. The association of sea turtles and other pelagic fauna with floating objects in the eastern tropical Pacific Ocean. *In* Salmon, M., and J. Wyneken (compilers), *Proc. Eleventh Annual Workshop on Sea Turtle Biology and Conservation*. U.S. Dept. of Commerce, NOAA Tech. Memo. NMFS-SEFSC-302, p. 7-10.
- Arocha 1996. Taken from Hoey and Moore's Captains Report: Multi-species catch characteristics for the U.S. Atlantic pelagic longline fishery, August 1999.
- Ashford, J.R. and A.R. Martin. Interactions between cetaceans and longline fishery operations around South Georgia. *Marine Mammal Science*. 12(3):452-457.
- Atlantic States Marine Fisheries Commission (ASMFC). 1997. Amendment 3 to the interstate fishery management plan for lobster. Atlantic States Marine Fisheries Commission, Washington, D.C.
- Babcock, H.L. 1937. The sea turtles of the Bermuda Islands, with a survey of the present state of the turtle fishing industry. *Proc. Zool. Soc. Lond.* 107: 595-601.
- Balazs, G.H. 1985. Impact of ocean debris on marine turtles: entanglement and ingestion. *In* Proceedings of the workshop on the fate and impact of marine debris, 27-29 November, 1984, Honolulu, Hawaii, July, 1985. R.S. Shomura and H.O. Yoshida, editors. NOAA-TM-NMFS-SWFC-54.
- Balazs, G.H. 1995. Status of sea turtles in the central Pacific Ocean. *In* *Biology and conservation of sea turtles* (revised edition), edited by K.A. Bjorndal. Smithsonian Institution Press, Washington, D.C. and London. pp. 243-252.

- Barlow, J., and P.J. Clapham. 1997. A new birth-interval approach to estimating demographic parameters of humpback whales. *Ecol.* 78(2):535-546.
- Bass, A.L., S.P. Epperly, J. Braun, D.W. Owens, and R.M. Patterson. 1998. Natal origin and sex ratios of foraging sea turtles in the Pamlico-Albemarle Estuarine Complex. U.S. Dep. Commer. NOAA Tech. Memo. NMFS-SEFSC-415:137-138.
- Bass, A.L., S-M. Chow, and B.W. Bowen. 1999. Final report for project titled: genetic identities of loggerhead turtles stranded in the Southeast United States. Unpublished report to NMFS, order number 40-AANF809090. Department of Fisheries and Aquatic Sciences, University of Florida, Gainesville, FL, 11 pp.
- Beideman, T.L. 2001. Blue Water Fishermen's Association, March 8 letter to Dr. William Hogarth, NMFS.
- Best, P.B. 1979. Social organization in sperm whales, *Physeter macrocephalus*. pp. 227-289. In: H.E. Winn and B.L. Olla (eds.), Behavior of marine animals, Vol. 3: Cetaceans. Plenum Press, New York.
- Bishop, C.A., G.P. Brown, R.J. Brooks, D.R.S. Lean, and J.H. Carey. 1994. Organochlorine contaminant concentrations in eggs and their relationship to body size and clutch characteristics of the female common snapping turtle (*Chelydra serpentina*) in Lake Ontario, Canada. *Archives of Environmental Contamination and Toxicology* 27: 82-87.
- Bishop, C.A., Brooks, R.J., Carey, J.H., Ng, P., Norstrom, R.J. and D.R.S. Lean. 1991. The case for a cause-effect between environmental contamination and development in eggs of the common snapping turtle (*Chelydra serpentina*) from Ontario, Canada. *Journal of Toxicology and Environmental Health* 33:521-547.
- Bjorndal, K.A., A.B. Bolten, and H.R. Martins. In press. Somatic growth model of juvenile loggerhead sea turtles: duration of the pelagic stage.
- Bjorndal, K.A., A.B. Meylan, and B.J. Turner. 1983. Sea turtles nesting at Melbourne Beach, Florida. I. Size, growth and reproductive biology. *Biological Conservation* 26:65-77.
- Bjorndal, K.A., Bolten, A.B., and C.J. Lagueux. 1994. Ingestion of marine debris by juvenile sea turtles in coastal Florida habitats. *Marine Pollution Bulletin*, Vol. 28, No. 3, 154-158.

- Bjorndal, K.A., J.A. Wetherall, A.B. Bolten, and J.A. Mortimer. 1999b. Twenty-six years of green turtle nesting at Tortuguero, Costa Rica: an encouraging trend. *Conservation Biology* 13:126-134.
- Bjorndal, K.A., A.B. Bolten, J. Gordon, and J.A. Camiñas. 1994. *Caretta caretta* (loggerhead) growth and pelagic movement. *Herp. Rev.* 25:23-24.
- Blaylock, R.A., J.W. Hain, L.J. Hansen, D.L. Palka, and G.T. Waring. 1995. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments. NOAA Tech. Memo. NMFS-SEFSC-363. U.S. Department of Commerce, Washington, D.C. 211 pp.
- Bolten, A.B. and K.A. Bjorndal. 1991. Effects of marine debris on juvenile, pelagic sea turtles. Interim Project Report to the National Marine Fisheries Service Marine Entanglement Research Program. 41 pp.
- Bolten, A.B., H.R. Martins, K.A. Bjorndal, and J. Gordon. 1993. Size distribution of pelagic-stage loggerhead sea turtles (*Caretta caretta*) in the waters around the Azores and Madeira. *Arquipelago* 11A: 49-54.
- Bolten, A.B., K.A. Bjorndal, and H.R. Martins. 1994. Life history model for the loggerhead sea turtle (*Caretta caretta*) populations in the Atlantic: Potential impacts of a longline fishery. U.S. Dep. Commer. NOAA Tech. Memo. NMFS-SWFC-201:48-55.
- Bolten, A.B. and G.H. Balazs. 1995. Biology of the Early Pelagic Stage- The 'Lost Year' *In*: Bjorndal, K.A. editor *Biology and Conservation of Sea Turtles*. Smithsonian Institution Press. pp:579-581.
- Bolten, A.B., J.A. Wetherall, G.H. Balazs, and S.G. Pooley (compilers). 1996. Status of marine turtles in the Pacific Ocean relevant to incidental take in the Hawaii-based pelagic longline fishery. U.S. Dept. of Commerce, NOAA Technical Memorandum, NOAA-TM-NMFS-SWFSC-230.
- Bolten, A.B., K.A. Bjorndal, H.R. Martins, T. F Dellinger, M.J. Biscoito, S.E. Encalada, and B.W. Bowen. 1998. Trans-Atlantic developmental migrations of loggerhead sea turtles demonstrated by mtDNA sequence analysis. *Ecological Applications* 8:1-7.
- Boulon, Jr. R. 2000. Trends in sea turtle strandings, U.S. Virgin Islands: 1982 to 1997. U.S. Dept. of Commerce, NOAA Tech. Mem. NMFS-SEFSC-436:261-263

- Bowen, B.W., J.C. Avise, J.I. Richardson, A.B. Meylan, D. Margaritoulis, and S.R. Hopkins-Murphy. 1993. Population structure of loggerhead turtles (*Caretta caretta*) in the northwestern Atlantic Ocean and Mediterranean. *Sea. Conserv. Biol.* 7:834-844.
- Branstetter, S. and G. Burgess. 1997. Final Report. MARFIN Award NA57FF0286. Continuation of an observer program to characterize and compare the directed commercial shark fishery in the eastern Gulf of Mexico and South Atlantic. May.
- Buckley, J.L. 1982. Seasonal movement, reproduction, and artificial spawning of shortnose sturgeon (*Acipenser brevirostrum*) from the Connecticut River. M.S. Thesis, University of Massachusetts, Amherst. 64 pp.
- Burgman, M.A., S. Ferson, and H.R. Akçakaya. 1993. Risk assessment in conservation biology. Chapman and Hall, Publishers; New York, New York.
- Carlson, J.K. and D. Lee. 1999. Catch and bycatch in the shark drift gillnet fishery off east Florida during the critical right whale season, 1999. NMFS Southeast Fisheries Science Center, Sustainable Fisheries Division Contribution No. SFD-98/99-60, Miami, Florida.. 22pp.
- Carlson, J.K. 2000. Personal Communication. NMFS, Panama City Laboratory to Kathy Wang, NMFS St. Petersburg.
- Carocci, F. and J. Majkowski. 1998. Atlas of tuna and billfish catches. CD-ROM version 1.0. FAO, Rome, Italy.
- Carr, A. 1987. New perspectives on the pelagic stage of sea turtle development. *Conserv. Biol.* 1:103-121.
- Carr, A.F. 1954. The passing of the fleet. *A.I.B.S. Bull.* 4(5):17-19.
- Carr, A.F. 1952. Handbook of Turtles. Ithaca, New York: Cornell University Press.
- Carr, A.F., M.H. Carr and A.B. Meylan. 1978. The ecology and migrations of sea turtles. 7. The western Caribbean green turtle colony. *Bull. Amer. Mus. Nat. Hist.* 162(1):1-46.
- Carr, A.F. and L. Ogren. 1960. The ecology and migrations of sea turtles. 4. The green turtle in the Caribbean Sea. *Bull. Amer. Mus. Nat. Hist.* 131(1):1-48.

- Caswell, H., M. Fujiwara, and S. Brault. 1999. Declining survival probability threatens the North Atlantic right whale. *Proc. Nat. Ac. Sci.* 96:3308-3313.
- Caughley, G. and A. Gunn. 1996. *Conservation biology in theory and practice.* Blackwell Science, Inc.; Cambridge, Massachusetts.
- CeTAP. 1982. A characterization of marine mammals and turtles in the mid- and north Atlantic areas of the U.S. outer continental shelf. Final Report. U.S. Dept. of Interior, Bureau of Land Management, Contract No. AA551-CT8-48, Washington, D.C. 538 pp.
- Chan, E.H., and Liew, H.C. 1996. Decline of the leatherback population in Terengganu, Malaysia, 1956-1995. *Chelonian Conservation and Biology* 2(2): 192-203.
- Chevalier, J. and Girondot, M. 1998. Nesting dynamics of marine turtles in French Guiana during the 1997 nesting season. *Bull. Soc. Herp. Fr.*, 85-86: 5-19.
- Chevalier, J., X. Desbois, and M. Girondot. 1999. The reason for the decline of leatherback turtles (*Dermochelys coriacea*) in French Guiana: a hypothesis p.79-88. In Miaud, C. and R. Guyétant (eds.), *Current Studies in Herpetology, Proceedings of the ninth ordinary general meeting of the Societas Europea Herpetologica, 25-29 August 1998 Le Bourget du Lac, France.*
- Chevalier, J., S. Lochon, J.L. Swinkels, S. Ferraroli, and M. Girondot. in press. Drifnet Fishing in the Maroni Estuary: The Major Reason for the Leatherback Turtle's Decline in the Guianas. *Proceedings from the 20th Annual Sea Turtle Symposium on Sea Turtle Biology and Conservation.*
- Clark, C.W. 1995. Application of U.S. Navy underwater hydrophone arrays for scientific research on whales. *Rep. Int. Whal. Commn.* 45:210-212.
- Clarke, M.R. 1962. Stomach contents of a sperm whale caught off Madeira in 1959. *Norsk Hvalfangst-tidende* 51(5):173-191.
- Clarke, M.R. 1980. Cephalopoda in the diet of sperm whales of the Southern Hemisphere and their bearing on sperm whale biology. *Discovery Rep.* 37:1-324.
- Clarke, R. 1954. Open boat whaling in the Azores: the history and present methods of a relic history. *Discovery Rep.* 26: 281-354.

- Collins, M.R., S.G. Rogers, and T.I.J. Smith. 1996. Bycatch of sturgeons along the southern Atlantic coast of the USA. *North American Journal of Fisheries Management* 17: 995-1000.
- Committee for Whaling Statistics. 1959-1983. International whaling statistics, volumes 41-91. *Comm. Whaling Stat.*, Oslo, Norway, var. paging.
- Cooper, K. 1989. Effects of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans on aquatic organisms. *Reviews in Aquatic Sciences* 1(2): 227-242.
- Coyne, M. S. 1994. Feeding Ecology of Subadult Green Sea Turtles in South Texas Waters. Master's Degree Thesis, Texas A&M University. 76 pp.
- Cramer, J. and H. Adams. 2000. Large pelagic logbook newsletter: 1998. NOAA Tech. Memo. NMFS-SEFSC-433. 25 pp.
- Crouse, D.T. 1999. The consequences of delayed maturity in a human-dominated world. *American Fisheries Society Symposium*. 23:195-202.
- Crouse, D.T., L.B. Crowder, and H. Caswell. 1987. A stage-based population model for loggerhead sea turtles and implications for conservation. *Ecol.* 68:1412-1423.
- Crowder, L.B., D.T. Crouse, S.S. Heppell, and T.H. Martin. 1994. Predicting the impact of turtle excluder devices on loggerhead sea turtle populations. *Ecol. Applic.* 4:437-445.
- Dadswell, M.J. 1979. Biology and population characteristics of the shortnose sturgeon, *Acipenser brevirostrum*, LeSueur 1818 in the Saint John River estuary, New Brunswick, Canada. *Canadian Journal of Zoology* 57: 2186-2210.
- Dadswell, M.J., B.D. Taubert, T.S. Squires, D. Marchette and J. Buckley. 1984. Synopsis of biological data on shortnose sturgeon, *Acipenser brevirostrum*, LeSueur 1818. *FAO Fisheries Synopsis No. 140*. NOAA Tech Report NMFS 14, U.S. Dept. of Commerce, 3300 Whitehaven St., Washington, D.C.
- Dahlen, M.K., R. Bell, J.I. Richardson, and T.H. Richardson. 2000. Beyond D-0004: Thirty-four years of loggerhead (*Caretta caretta*) research on Little Cumberland Island, Georgia, 1964-1997. *Proceedings of the Eighteenth International Sea Turtle Symposium*. U.S. Dept. of Commerce, NOAA Technical Memorandum NMFS-SEFSC-436, pp. 60-62.

- Davenport, J. and J. Wrench. 1990. Metal levels in a leatherback turtle. *Marine Pollution Bulletin* 21:40-41.
- Dellinger, T. and H. Encarnacao. 2000. Accidental capture of sea turtles by the fishing fleet based at Madeira Island, Portugal. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SEFSC-443:218.
- Den Hartog, J.C. 1980. Notes on the food of sea turtles: *Eretmochelys imbricata* (Linnaeus) and *Dermochelys coriacea* (Linnaeus). *Netherlands Journal of Zoology* 30:595-610.
- Den Hartog, J.C. and M.M. Van Nierop. 1984. A study on the gut contents of six leathery turtles *Dermochelys coriacea* (Linnaeus) (Reptilia: Testudines: Dermochelyidae) from British waters and from the Netherlands. *Zoologische Verhandelingen*. 209:3-36.
- Dollar, R. A. 1991. Summary of swordfish longline observations in Hawaii, July 1990-March 1991. U.S. Department of Commerce, NOAA, Natl. Mar. Fish. Serv., Southwest Fish. Sci. Cent., Honolulu Lab., SWFSC Admin. Rep. H-91-09.
- Doughty, R.W. 1984. Sea turtles in Texas: A forgotten commerce. *Southwestern Historical Quarterly*. pp. 43-70.
- Dovel, W.L. 1981. The endangered shortnose sturgeon of the Hudson estuary: its life history and vulnerability to the activities of man. Final Report to the Federal Energy Regulatory Commission, Washington, D.C.
- Dovel, W.L., A.W. Pekovitch, and T.J. Berggren. 1992. Biology of the shortnose sturgeon (*Acipenser brevirostrum*) in the Hudson River estuary, New York. In: C.L. Smith, editor, *Estuarine Research in the 1980s*. State University of New York Press, Albany, New York. pp.187-216
- Dufault, S., H. Whitehead, and M. Dillon. 1999. An examination of the current knowledge on the stock structure of sperm whales (*Physeter macrocephalus*) worldwide. *J. Cetacean Res. Manage.*, 1(1):1-10.
- Dutton, P. H., B.W. Bowen, D.W. Owens, A. Barragan, and S.K. Davis. 1999. Global phylogeography of the leatherback turtles (*Dermochelys coriacea*). *J. Zool. Lond* 248:397-409.
- Eckert, K.L. 1993. The Biology and Population Status of Marine Turtles in the North Pacific Ocean. NOAA Tech. Mem. NOAA-TM-NMFS-SWFSC-186. pp 156.

- Eckert, S.A. and K.L. Eckert. 1989. Diving and foraging behavior of leatherback sea turtles (*Dermochelys coriacea*). *Can. J. Zool.* Vol. 67.
- Eckert, S.A., K.L. Eckert, P. Pongamia, and G.H. Koopman. 1989. Diving and foraging behavior of leatherback sea turtles *Dermochelys coriacea*. *Canadian Journal of Zoology* 67:2834-2840.
- Eckert, S.A. and M. L.Sarti. 1997. Distant fisheries implicated in the loss of the world's largest leatherback nesting population. *In: Marine Turtle Newsletter No. 78:p. 2-7.*
- Eckert, S.A. and J. Lien. 1999. Recommendations for eliminating incidental capture and mortality of leatherback turtles, *Dermochelys coriacea*, by commercial fisheries in Trinidad and Tobago. A report to the Wider Caribbean Sea Turtle Conservation network (WIDECAST). Hubbs-Sea World research Institute Technical Report No. 2000-310, 7pp.
- Ehrhart, L.M. 1979. A survey of marine turtle nesting at Kennedy Space Center, Cape Canaveral Air Force Station, North Brevard County, Florida, 1-122. Unpublished report to Division of Marine Resources, St. Petersburg, Florida, Fla. Dept. Nat. Res.
- Ehrhart, L.M., W.E. Redfoot, and D.A. Bagley. 1996. A study of the population ecology of in-water marine turtle populations on the east-central Florida coast from 1982-96. Comprehensive Final Report to NOAA the National Marine Fisheries Service. Unpublished report. Department of Biology, University of Central Florida, Orlando, 164 pp.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995. Sea turtles in North Carolina waters. *Conserv. Biol.* 9:384-394.
- Epperly, S.P., J. Braun, A. J. Chester, F.A. Cross, J. . Merriner, and P.A. Tester. 1995. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. *Bull. Mar. Sci.* 56(2):519-540.
- Epperly, S.P., J. Braun, A.J. Chester, F.A Cross, J.V. Merriner, P.A. Tester, and J.H. Churchill. 1996. Beach strandings as an indicator of at-sea mortality of sea turtles. *Bull. Mar. Sci.* 59:289-297.
- Epperly, S.P. and W.G. Teas. 1999. Evaluation of TED opening dimensions relative to the size of turtles stranding in the Western North Atlantic. U.S. Dep. Commer. NMFS SEFSC Contribution PRD-98/99-08, 31 pp.

- Epperly, S. P. , J.Braun-McNeill, A.L. Bass, D.W. Owens, R.M. Patterson. 2000. In-water population index surveys: North Carolina, U.S.A. *In*: Abreu-Grobois, F. A. ,Briseno-Duenas, R. ,Marquez, R. ,Sarti, L. Compilers, Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436, 293 p 62.
- Ernst, L.H. and R.W. Barbour. 1972. Turtles of the United States. Univ. Kentucky Press, Lexington, Kentucky.
- Fowler, C.W. and J.D. Baker. 1991. A review of animal population dynamics at extremely reduced population levels. Report of the International Whaling Commission 41: 545-554.
- Francisco, A.M., A.L. Bass, K.A. Bjorndal, A.B. Bolten, R. Reardon, M. Lamont, Y. Anderson, J. Foote, and B.W. Bowen. 2000. Stock structure and nesting site fidelity in Florida loggerhead turtles (*Caretta caretta*) resolved with mtDNA sequences. Unpublished Manuscript. Department of Fisheries and Aquatic Sciences, University of Florida, Gainesville, 23pp.
- Frazer, N.B. and L.M. Ehrhart. 1985. Preliminary growth models for green, *Chelonia mydas*, and loggerhead, *Caretta caretta*, turtles in the wild. *Copeia* 1985:73-79.
- Frazer, N.B., C.J. Limpus, and J.L. Greene. 1994. Growth and age at maturity of Queensland loggerheads. U.S. Dep. of Commer. NOAA Tech. Mem. NMFS-SEFSC-351: 42-45.
- Fritts, T.H. 1982. Plastic bags in the intestinal tracts of leatherback marine turtles. *Herpetological Review* 13(3):72-73.
- Fritts, T.H., W. Hoffman, and M.A. McGehee. 1983. The distribution and abundance of marine turtles in the Gulf of Mexico and nearby Atlantic waters. *Journal of Herpetology* 17:327-344.
- Fritts T.H., Irvine A.B., Jennings R.D., Collum L.A., Hoffman W, and M.A. McGehee. 1983. Turtles, Birds, and Mammals in the Northern Gulf of Mexico and Nearby Atlantic Waters. FWS/OBS-82/65. 455pp.
- Goff, G.P. and J. Lien. 1988. Atlantic leatherback turtles, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. *Canadian Field-Naturalist* 102:1-5.

- Goff, G.P., J. Lien, G.B. Stenson, and J. Fretey. 1994. The migration of a tagged leatherback turtle, *Dermochelys coriacea*, from French Guiana, South America to Newfoundland, Canada in 128 days. *Canadian Field-Naturalist* 108:72-73.
- Grace, M. 2001. Personal Communication. March 8 E-mail from Mark Grace, NMFS Pascagoula Laboratory to Eric Hawk, NMFS, St. Petersburg.
- Graff, D. 1995. Nesting and hunting survey of the turtles of the island of São Tomé. Progress Report July 1995, ECOFAC Componente de São Tomé e Príncipe, 33 pp.
- Gramentz, D. 1989. Marine turtles in the central Mediterranean Sea. *Centro* 1(4): 41-56.
- Grant, G.S., H. Malpass, J. Beasley. 1996. Correlation of leatherback turtle and jellyfish occurrence. *Herpetological Review* (27)3: 123-125.
- Greeley, J.R. 1935. Fishes of the watershed with annotated list. In: A biological survey of the Mohawk- Hudson Watershed. Rep. N.Y. State Conservation Dep., Suppl. 24: 63-101.
- Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. *Rep. Int. Whal. Commn.* 42: 653-669.
- Hamilton, P.K., and C.A. Mayo. 1990. Population characteristics of right whales (*Eubalaena glacialis*) observed in Cape Cod and Massachusetts bays, 1978-1986. *Rep. Int. Whal. Commn.* (Special Issue 12): 203-208.
- Hamilton, P.K., M.K. Marx, and S.D. Kraus. 1998. Scarification analysis of North Atlantic right whales (*Eubalaena glacialis*) as a method of assessing human impacts. Final report to the Northeast Fisheries Science Center, Contract Nol 4EANF-6-0004.
- Henwood, T.A., and W. Stuntz. 1987. Analysis of sea turtle captures and mortalities during commercial shrimp trawling. *Fish. Bull., U.S.* 85(4):813-817.
- Heppell, S. 1996. Introduction to Linear Deterministic Matrix Models. *In*: Bolten, A. B. ,Wetherall, J. A. ,Balazs, G. H. ,Pooley, S. G. Compilers, Status of marine turtles in the Pacific Ocean relevant to incidental take in the Hawaii-based pelagic longline fishery. NOAA Technical Memorandum NMFS-SWFSC-230, p. 23-25.

- Heppell, S.S. 1998b. Eigenvalue elasticity analysis of species life histories for conservation and management: methods and applications. Ph.D. Thesis, Duke University, Durham, N.C., 162 pp.
- Heppell, S.S., L.B. Crowder, and T.R. Menzel. 1999. Life table analysis of long-lived marine species with implications for conservation and management. American Fisheries Society Symposium 23: 137-148.
- Heppell, S.S., H. Caswell, and L.B. Crowder. 2000. Life history and elasticity patterns: perturbation analysis for species with minimal demographic data. Ecology 81:654-665.
- Heppell, S.S., D.T. Crouse, L.B. Crowder, S.P. Epperly, and N.B. Frazer. In preparation. Population models for Atlantic loggerheads: past, present and future. In A. Bolten and B. Witherington, eds. Ecology and Conservation of Loggerhead Sea Turtles, Univ. Florida Press (presented at special loggerhead symposium in Orlando, Florida, March 2000).
- Hildebrand, H.H. 1963. Hallazgo del area de anidacion de la tortuga marina "lora," *Lepidochelys kempi* (Garman), en la costa occidental del Golfo de Mexico. Ciencia, Mex. 22(4):105-112.
- Hildebrand, H.H. Random Notes on Sea Turtles in the Western GOM. Western Gulf of Mexico Sea Turtle Workshop Proceedings, January 13-14, 1983. 1983 Oct:34-41. Note: A copy of the entire Workshop Proceedings is at SP000480.
- Hirth, H.F. 1971. Synopsis of biological data on the green turtle *Chelonia mydas* (Linnaeus) 1758. FAO Fisheries Synopsis. 85:1-77.
- Hoey, J. 1998. Analysis of gear, environmental, and operating practices that influence pelagic longline interactions with sea turtles. Final report No. 50EANA700063 to the NMFS Northeast Regional Office, Gloucester, Mass. 32 pp.
- Hoey, J. and N. Moore. 1999. Captain's Report: Multi-species catch characteristics for the U.S. Atlantic pelagic longline fishery. August 1999. 78 pp.
- Hoey, John. 2000. Requested re-examination of gear, environmental, and operating practices associated with sea turtle longline interactions. June 2, 2000. 11 pp.
- Hoff, T.B., and R.J. Klauda. 1979. Data on shortnose sturgeon, *Acipenser*

brevirostrum, collected incidentally from 1969 through June 1979 in sampling programs conducted for the Hudson River Ecological Study. Report prepared by Texas Instruments, Buchanan, New York, for the Shortnose Sturgeon Recovery Team Meeting, November 30, 1979, Danvers, Massachusetts.

- Hopkins-Murphy, S.R., and T.M. Murphy, Jr. 1988. Status of the loggerhead turtle in South Carolina, p. 35-37. In: B.A. Schroeder (comp.), Proceedings of the Eighth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Memo. NMFS-SEFSC-214.
- International Commission on Whaling (IWC). 1969. Nineteenth Report of the Commission. London Office of the Commission. pp:147
- IWC. 1971. Report of the Special Meeting on Sperm Whale Biology and Stock Assessments. Rep. Int. Whal. Commn 21: 40-50.
- IWC. 1983. Report of the Scientific Committee. Rep. Int. Whal. Commn. Vol. 33.
- IWC. 1999. Report of the workshop on the comprehensive assessment of right whales: a worldwide comparison. Rep. Int. Whal. Commn. (in press).
- Johnson, D.R., C. Yeung, and C.A. Brown. 1999. Estimates of marine mammal and marine turtle bycatch by the U.S. Atlantic pelagic longline fleet in 1992-1997. U.S. Dep. Commer. NOAA Tech. Memo. NMFS-SEFSC-418, 70 pp.
- Katona, S.K., and J.A. Beard. 1990. Population size, migrations, and feeding aggregations of the humpback whale (*Megaptera novaeangliae*) in the western North Atlantic Ocean. Rep. Int. Whal. Common. (Special Issue 12):295-306.
- Keinath, J.A. 1993. Movements and behavior of wild and head-started sea turtles. Ph.D. Diss. College of William and Mary, Gloucester Point, Va., 206 pp.
- Kenney, R.D., M.A.M. Hyman, R.E. Owen, G.P. Scott, and H.E. Winn. 1986. Estimation of prey densities required by western North Atlantic right whales. Mar. Mamm. Sci. 2(1):1-13.
- Kleiber, P. and C. Boggs. 2000. Workshop on reducing sea turtle takes in longline fisheries, Miami, FL, August 31-September 1, 1999. NMFS Southwest Fisheries Science Center Administrative Report H-00-09, 16 pp.
- Kleiber, P. 2000. Does proximity to lightsticks or to floatlines affect probability of sea turtle takes in the Hawaiian longline fishery? NMFS Southwest Fisheries Science Center. Draft Unpublished Report. 4 pp.

- Klumov, S.K. 1962. The right whales in the Pacific Ocean. In: P.I. Usachev (ed.). Biological Marine Studies. Trudy Inst. Okeanogr. 58: 202-297.
- Knowlton, A.R., S.D. Kraus, and R.D. Denney. 1994. Reproduction in North Atlantic right whales (*Eubalaena glacialis*). Can. J. Zool. 72: 1297-1305.
- Kraus, S.D. 1990. Rates and potential causes of mortality in North Atlantic right whales (*Eubalaena glacialis*). Mar. Mamm. Sci. 6(4):278-291.
- Kraus, S.D., R.D. Kenney, A.R. Knowlton, and J.N. Ciano. 1993. Endangered right whales of the southeastern North Atlantic. Contract Report No. 14-35-0001-30486 for Minerals Management Service, March 1993.
- Kraus, S.D. 1997. Right whale status in the North Atlantic. In: A.R. Knowlton, S.D. Kraus, D.F. Meck, and M.L. Mooney-Seus (eds.) Shipping/Right Whale Workshop, April 17-18, 1997. New England Aquarium Aquatic Forum Series, Report 97-3. New England Aquarium; Boston, Mass. pp. 31-36.
- Kynard, B. 1997. Life history, latitudinal parameters, and status of shortnose sturgeon. Environmental Biology of Fishes 48: 319-334.
- Lagueux, C.J. 1998. Marine turtle fishery of Caribbean Nicaragua: human use patterns and harvest trends. Doctoral Dissertation, University of Florida, Gainesville. 215 pp.
- Lagueux, C.J., C. Campbell, and L.H. Herbst, Knowlton and Weigle. 1998. Demography of marine turtles harvested by Miskitu Indians of Atlantic Nicaragua. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SEFSC-412:90.
- Lande, R. and G.F. Barrowclough. 1987. Effective population size, genetic variation and their use in population management. Pp. 87-124 in M. Soule (ed.) Conservation Biology: An Evolutionary-Ecological Perspective. Sinauer Associates, Sunderland, Massachusetts.
- Laurent, L, P. Casale, M.N. Bradai, B.J. Godley, G. Gerosa, A.C. Broderick, W. Schroth, B. Schierwater, A.M. Levy, D. Freggii, E.M. Abd El-Mawla, D.A. Hadoud, H.E. Gomati, M. Domingo, M. Hadjichristophorou, L. Kornaraky, F. Demirayak, and Ch. Gautier. 1998. Molecular resolution of marine turtle stock composition in fishery bycatch: a case study in the Mediterranean. Molecular Ecol. 7:1529-1542.
- Law, R.J., Fileman, C.F., Hopkins, A.D., Baker, J.R., Harwood, J., Jackson, D.B., Kennedy, S., Martin, A.R. and R.J. Morris. 1991. Concentrations of trace metals in the livers of marine mammals (seals, porpoises and dolphins) from waters around the British Isles. Marine Pollution Bulletin 22:183-191.

- Leary, T. R. 1957. A schooling of leatherback turtles, *Dermochelys coriacea*, on the Texas coast. *Copeia* 1957(3):232.
- Leatherwood, S., and R.R. Reeves. 1983. The Sierra Club handbook of whales and dolphins. Sierra Club Books, San Francisco, California. 302 pp.
- LeBuff, C.R., Jr. 1974. Unusual nesting relocation in the loggerhead turtle, *Caretta caretta*. *Herpetologica* 30:29-31.
- LeBuff, C.R., Jr. 1990. The loggerhead turtle in the eastern Gulf of Mexico. Caretta Research, Inc., Sanibel, FL, 216 pp.
- Lohmann, K.J. 2000. Responses of pelagic-stage loggerhead turtles to light sticks and gangions used in longline fisheries: preliminary statement of findings, February 2000. Department of Biology, University of North Carolina, Chapel Hill, NC.
- Lutcavage, M.E. and P.L. Lutz. 1997. Diving physiology. *In* The biology of sea turtles. Edited by P.L. Lutz and J.A. Musick. CRC Press, Boca Raton, Florida.
- Lutcavage, M.E. and P. Plotkin, B. Witherington, and P.L. Lutz. 1997. Human impacts on sea turtle survival, p.387-409. *In* P.L. Lutz and J.A. Musick, (eds.), The Biology of Sea Turtles, CRC Press, Boca Raton, Florida. 432pp.
- Magnuson, J.J., K.A. Bjorndal, W.D. DuPaul, G.L. Graham, D.W. Owens, C.H. Peterson, P.C.H. Pritchard, J.I. Richardson, G.E. Saul, and C.W. West. 1990. Decline of the sea turtles: causes and prevention. National Academy Press, Washington, D.C. 259 pp.
- Marcano, L.A. and J.J. Alio-M. 2000. Incidental capture of sea turtles by the industrial shrimping fleet off northwestern Venezuela. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SEFSC-436:107.
- Marchette, D.E. and R. Smiley. 1982. Biology and life history of incidentally captured shortnosesturgeon, *Acipenser brevirostrum*, in South Carolina. S.C. Wildl. Mar. Res. unpubl. ms. 57 pp.
- Márquez-M., R. 1990. FAO Species Catalogue, Vol. 11. Sea turtles of the world, an annotated and illustrated catalogue of sea turtle species known to date. FAO Fisheries Synopsis, 125, 81 pp.
- Mayo, C.A., and M.K. Marx. 1990. Surface foraging behavior of the North Atlantic right whale, *Eubalaena glacialis*, and associated zooplankton

- characteristics. *Can. J. Zool.* 68:2214-2220.
- McFee, W.E., D.L. Wolf, D.E. Parshley, and P.A. Fair. 1996. Investigations of marine mammal entanglement associated with a seasonal coastal net fishery. NOAA Tech. Memo. NMFS-SEFSC-386. U.S. Department of Commerce, Washington, D.C. 104 pp.
- McKenzie, C., Godley, B.J., Furness, R.W., and D.E. Wells. 1999. Concentrations and patterns of organochlorine contaminants in marine turtles from Mediterranean and Atlantic waters. *Marine Environmental Research* 47:117-135.
- Meffe, G.K. and C.R. Carroll and contributors. 1997. Principles of conservation biology. Sinauer Associates, Inc., Massachusetts. 729 pp.
- Meyers-Schöne, L. and B.T. Walton. 1994. Turtles as monitors of chemical contaminants in the marine environment. *Reviews of Environmental Contamination and Toxicology* 135: 93-153.
- Meylan, A., B. Schroeder, and A. Mosier. 1995. Sea turtle nesting activity in the state of Florida. *Fla. Mar. Res. Publ.* 52:1-51.
- Milton, S. L., S. Leone-Kabler, A.A. Schulman, and P.L. Lutz. 1994. Effects of Hurricane Andrew on the sea turtle nesting beaches of South Florida. *Bulletin of Marine Science* 54-3: 974-981.
- Morreale, S.J. and E.A. Standora. 1999. Vying for the same resources: potential conflict along migratory corridors. U.S. Dep. Commer. NOAA Tech. Mem. NMFS-SEFSC-415: 69.
- Morreale, S.J. and E.A. Standora. 1998. Early life stage ecology of sea turtles in northeastern U.S. waters. U.S. Dep. Commer. NOAA Tech. Mem. NMFS-SEFSC-413, 49 pp.
- Moser, M.L. and S.W. Ross. 1995. Habitat use and movements of shortnose and Atlantic sturgeons in the Lower Cape Fear River, North Carolina. *Transactions of the American Fisheries Society* 124: 225-234.
- Moser, M.L. and S.W. Ross. 1993. Distribution and movements of shortnose sturgeon (*Acipenser brevirostrum*) and other anadromous fishes of the lower Cape Fear River, North Carolina. Final Report to the U.S. Army Corps of Engineers, Wilmington, North Carolina.

- Mrosovksy, N. 1981. Plastic Jellyfish. *Marine Turtle Newsletter* 17: 5-7.
- Mullin, K.D., W. Hoggard, C. Roden, R. Lohoefer, C. Rogers. 1994. Cetaceans on the upper continental slope in the north-central Gulf of Mexico. *Fishery Bulletin* 92: 773-786.
- Mullin, K.D. and W. Hoggard. 2000. Visual surveys of cetaceans and sea turtles from aircraft and ships, p.111- 322. In R.W. Davis, W.E. Evans, and B. Wursig, eds. *Cetaceans, sea turtles and seabirds in northern Gulf of Mexico: distribution, abundance and habitat associations*. Unpublished report. USGS/BRD/CR-1999-0006, OCS Study MMS 2002-002. Department of Marine Biology, Texas A&M University, Galveston, Texas.
- Murison, L.D., and D.E. Gaskin. 1989. The distribution of right whales and zooplankton in the Bay of Fundy, Canada. *Can. J. Zool.* 67:1411-1420.
- Murphy, T.M. and S.R. Hopkins-Murphy. 1989. *Sea Turtle and Shrimp Fishing Interactions: A Summary and Critique of Relevant Information*. Center for Marine Conservation. 52 pp.
- Musick, J.A. 2001. TerraMare Partners, Inc. March 7 letter to Dr. William Hogarth, NMFS.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization in juvenile sea turtles, *in* *The Biology of Sea Turtles*, P.L. Lutz and J.A. Musick, eds. CRC Press, Boca Raton, FL. pp.137-163.
- NCDMF. 1997. North Carolina Division of Marine Fisheries. *Assessment of North Carolina Commercial Finfisheries, 1994-1996. Completion Report for Project 2-IJ-51*.
- Nitta, E. T., and J.R. Henderson. 1993. A review of interactions between Hawaii's fisheries and protected species. U.S. Dep. Commer., NOAA, *Natl. Mar. Fish. Serv., Mar. Fish. Review*, vol. 55, no. 2.
- NMFS unpublished data. Sea Turtle Stranding and Salvage Network, weekly reports. SEFSC, Miami, Florida.
- NMFS unpublished data. Northeast Fisheries Science Center. Woods Hole, Massachusetts.
- NMFS. 1989. Endangered Species Act section 7 consultation concerning the issuing of exemptions for commercial fishing operations under section 114 of the Marine Mammal Protection Act. Decision Memorandum. July 5.

- NMFS. 1991a. Recovery plan for the humpback whale (*Megaptera novaeangliae*). Prepared by the Humpback Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, Md.
- NMFS. 1991b. Recovery plan for the northern right whale (*Eubalaena glacialis*). Prepared by the Right Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, Md.
- NMFS. 1995. Endangered Species Act section 7 consultation on United States Coast Guard vessel and aircraft activities along the Atlantic coast. Biological Opinion. September 15.
- NMFS. 1996a. Endangered Species Act section 7 consultation on reinitiation of consultation on United States Coast Guard Vessel and Aircraft Activities along the Atlantic Coast. Biological Opinion. July 22.
- NMFS. 1996b. Endangered Species Act section 7 consultation on the proposed shock testing of the SEAWOLF submarine off the Atlantic Coast of Florida during the summer of 1997. Biological Opinion. December 12.
- NMFS. 1997a. Endangered Species Act section 7 consultation regarding proposed management activities conducted under Amendment 7 to the Northeast Multispecies Fishery Management Plan. March 12.
- NMFS. 1997b. Endangered Species Act section 7 consultation on Navy activities off the southeastern United States along the Atlantic Coast. Biological Opinion. May 15.
- NMFS. 1997c. Endangered Species Act section 7 consultation on the continued hopper dredging of channels and borrow areas in the southeastern United States. Biological Opinion. September 25.
- NMFS. 1997d. Endangered Species Act section 7 consultation on channel maintenance dredging using a hopper dredge in the Galveston and New Orleans Districts of the Army Corps of Engineers. Biological Opinion. September 22.
- NMFS. 1997e. Endangered Species Act section 7 consultation on implementation of the Atlantic Large Whale Take Reduction Plan. Biological Opinion. July 15.
- NMFS. 1997f. Endangered Species Act section 7 consultation on continued operation of the circulating water system of the St. Lucie nuclear generating plant. Biological Opinion. February 7.

- NMFS. 1997g. Draft Environmental Assessment on the Atlantic Offshore Cetacean Take Reduction Plan.
- NMFS. 1997h. Environmental Assessment and Regulatory Impact Review of the Atlantic Large Whale Take Reduction Plan and Implementing Regulations. July 15, 1997. 92 pp.
- NMFS. 1998a. Endangered Species Act section 7 consultation on the Federal American Lobster Fishery Management Plan. December 17.
- NMFS. 1998b. Endangered Species Act section 7 consultation on second reinitiation of consultation on United States Coast Guard vessel and aircraft activities along the Atlantic Coast. Biological Opinion. June 8.
- NMFS. 1998c. Final Recovery plan for the shortnose sturgeon, *Acipenser brevirostrum*. Prepared by the Shortnose Sturgeon Recovery Team for NMFS, Silver Spring, Maryland. 105 pp.
- NMFS. 1998d. Endangered Species Act section 7 consultation on shrimp trawling in the southeastern U.S. under the sea turtle conservation regulations. Biological Opinion. March 24.
- NMFS. 1998e. Draft fishery management plan for Atlantic tunas, swordfish, and sharks. National Marine Fisheries Service, Silver Spring, Md. October.
- NMFS. 1999. Amendment 1 to the Atlantic Billfish Fishery Management Plan.
- NMFS. 1999a. Endangered Species Act Section 7 consultation on implementation of the Atlantic Large Whale Take Reduction Plan. Biological Opinion. February.
- NMFS 1999b. Our Living Oceans. Report on the status of U.S. living marine resources, 1999. NOAA Tech. Memo. NMFS-F/SPO-41.
- NMFS. 1999c. Fishery Management Plan For Atlantic Tunas, Swordfish, and Sharks.
- NMFS. 2000. Endangered Species Act Section 7 consultation on the Atlantic Pelagic Fisheries for Swordfish, Tuna, Shark, and Billfish in the U.S. Exclusive Economic Zone. Biological Opinion. June 30.
- NMFS. 2000a. Final Supplemental Environmental Impact Statement: Regulatory Amendment 1 to the Atlantic Tunas, Swordfish, and Sharks Fishery Management Plan. NMFS Office of Sustainable Fisheries, Silver Spring, MD. June 14.

- NMFS. 2000b. Endangered Species Act section 7 consultation on the proposed shock testing of the DDG- 81 WINSTON CHURCHILL destroyer. Biological Opinion. October 10.
- NMFS unpublished data. Observer Program. Southwest Fisheries Science Center, Honolulu Laboratory.
- NMFS Southeast Fisheries Science Center. 2001. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the Western North Atlantic. U.S. Department of Commerce, National Marine Fisheries Service, Miami, FL, SEFSC Contribution PRD-00/01-08; Parts I-III and Appendices I-V1.
- NMFS Southwest Region. 2001. Endangered Species Act Section 7 consultation on Authorization of Western Pacific Region Pelagic Fisheries under the Fishery Management Plan for the Pelagic Fisheries of the Western Pacific Region. Draft Biological Opinion, January 22.
- NMFS and USFWS. 1991. Recovery plan for the U.S. population of loggerhead turtle. National Marine Fisheries Service, Washington, D.C.
- NMFS and USFWS. 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico. National Marine Fisheries Service, Washington, D.C.
- NMFS and USFWS. 1995. Status reviews for sea turtles listed under the Endangered Species Act of 1973. National Marine Fisheries Service, Silver Spring, Md.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service (NMFS and USFWS). 1998a. Recovery Plan for U.S. Pacific Populations of the Green Turtle (*Chelonia mydas*). National Marine Fisheries Service, Silver Spring, MD. pp: 84.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998b. Recovery Plan for U.S. Pacific Populations of the Hawksbill Turtle (*Eretmochelys imbricata mydas*). National Marine Fisheries Service, Silver Spring, MD. pp.82.
- Norrgard, J. 1995. Determination of stock composition and natal origin of a juvenile loggerhead turtle population (*Caretta caretta*) in Chesapeake Bay using mitochondrial DNA analysis. M.A. Thesis. College of William and Mary, Williamsburg, Va., 47 pp.

- Odell, D.K. 1992. Sperm whale (*Physeter macrocephalus*), family Pysteridae, order Cetacea. In S.R. Humphrey (editor), Rare and endangered biota of Florida, pp. 168-175. Univ. Press Fla., Gainesville.
- Ogren, L.H. Biology and Ecology of Sea Turtles. 1988. Prepared for National Marine Fisheries, Panama City Laboratory. Sept. 7.
- Palsboll, P.J., J. Allen, M. Bérubé, P.J. Clapham, T.P. Feddersen, P. Hammond, H. Jorgensen, S. Katona, A.H. Larsen, F. Larsen, J. Lien, D.K. Mattila, J. Sigurjónsson, R. Sears, T. Smith, R. Sponer, P. Stevick, and N. Oien. 1997. Genetic tagging of humpback whales. *Nature* 388:767-769.
- Panou, A., S. Moschonas, L. Tselentis, and N. Voutsinas. 1991. Incidental catches of loggerhead turtles, *Caretta caretta*, in swordfish long lines in the Ionian Sea, Greece. Inst. Zool. Univ. Munich, Germany. Unpublished Report. Institute of Zoology, University of Munich, Germany, 6 pp.
- Panou, A., G. Antypas, Y. Giannopoulos, S. Moschonas, D. Mourelatos, G. Mourelatos, Ch. Mourelatos, P. Toumazatos, L. Tselentis, N. Voutsinas, and V. Voutsinas. 1992. Incidental catches of loggerhead turtles, *Caretta caretta*, in swordfish long lines in the Ionian Sea, Greece. Unpublished Report. Institute of Zoology, University of Munich, Germany, 8 pp.
- Parsons, J.J. 1962. The green turtle and man. Gainesville, University of Florida Press.
- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham, and J.W. Jossi. 1990. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selected prey. *Fish. Bull., U.S.* 88(4):687-696.
- Perry, S., D. DeMaster, and G.K. Silber. 1999. The great whales: history and status of six species listed as endangered under the U.S. Endangered Species Act of 1973. *Marine Fisheries Review* 61(1):1-74.
- Peters, J.A. 1954. The amphibians and reptiles of the coast and coastal sierra of Michoacan, Mexico. *Occ. Pap. Mus. Zool.* 554:1-37.
- Plotkin, P. and A.F. Amos. 1990. Effects of anthropogenic debris on sea turtles in the northwestern GOM. *in* R.S. Shomura and M.L. Godfrey (eds.). *Proceedings of the Second International Conference on Marine Debris.* NOAA Tech. Memo NMFS- SWFSC-154: 736-743.
- Polovina, J.J., D.R. Kobayashi, D.M. Parker, M.P. Seki and G.H. Balazs. 2000. Turtles on the edge: movement of loggerhead turtles (*Caretta caretta*) along oceanic fronts, spanning longline fishing grounds in the central North Pacific, 1997-1998. *Fisheries Oceanography* 9: 71-82.

- Prescott, R.L. 1988. Leatherbacks in Cape Cod Bay, Massachusetts, 1977-1988. U.S. Department of Commerce NOAA Technical Memorandum NMFS-SEFSC-214:83-84.
- Pritchard, P.C.H. 1969. Sea turtles of the Guianas. Bull. Fla. State Mus. 13(2):1-139.
- Pritchard, P.C.H. 1971. The leatherback or leathery turtle, *Dermochelys coriacea*. International Union for the Conservation of Nature, Monograph Number 1: 39 pp.
- Pritchard, P.C.H. 1982. Nesting of the leatherback turtle, *Dermochelys coriacea*, in Pacific Mexico, with a new estimate of the world population status. Copeia 1982: 741-747.
- Pritchard, P.C.H. 1996. Are leatherbacks really threatened with extinction? Chelonian Conservation and Biology, Volume 2, Number 2, pp. 303-305.
- Primack, R.B. 1993. Essentials of conservation biology. Sinauer Associates, Sunderland, Massachusetts.
- Rankin-Baransky, K.C. 1997. Origin of loggerhead turtles (*Caretta caretta*) in the western North Atlantic as determined by mt DNA analysis. M.S. Thesis, Drexel University, Philadelphia, Penn.
- Rebel, T.P. 1974. Sea turtles and the turtle industry of the West Indies, Florida and the Gulf of Mexico. Univ. Miami Press, Coral Gables, Florida.
- Reeves, R.R. and H. Whitehead. 1997. Status of sperm whale, *Physeter macrocephalus*, in Canada. Can. J. Nat. 111(2):293-307.
- Reina, R., J.R. Spotila, A. Dunham and F.V. Paladino. 2001. New developments in the population dynamics of Pacific leatherbacks: What can population models tell us?" Invited lecture, 21st Annual Symposium on Sea Turtle Biology and Conservation, February 24-28, Philadelphia, PA.
- Renaud, M.L., Carpenter, J.A. and J.A. Williams. 1995. Movement of Kemp's ridley sea turtles captured near dredged channels at Bolivar Roads Pass and Sabine Pass, Texas and Calcasieu Pass, Louisiana, May 1994 through December 4, 1994. Draft Preliminary Report submitted to COE, New Orleans District.
- Rice, D.W. 1989. Sperm whale *Physeter macrocephalus* Linnaeus, 1758. In: Ridgway, S.J. & R.J. Harrison (eds). Handbook of Marine Mammals. Vol. 4 p. 177-233. Academic Press, London, U.K.
- Robbins, J. and D.K. Mattila. 1999. Monitoring entanglement scars on the caudal

- peduncle of Gulf of Maine humpback whales. Final Report to the National Marine Fisheries Service. Available from the Center for Coastal Studies, Provincetown, Massachusetts.
- Ross, J.P. 1979. Historical decline of loggerhead, ridley, and leatherback sea turtles. In: Bjorndal, K.A. (editor), *Biology and Conservation of Sea Turtles*. pp. 189-195. Smithsonian Institution Press, Washington, D.C. 1995.
- Ross, J.P. and M.A. Barwani. 1982. Review of sea turtles in the Arabian area. In: Bjorndal, K.A. (editor), *Biology and Conservation of Sea Turtles*. pp. 373-383. Smithsonian Institution Press, Washington, D.C. 1995.
- Ryder, C. 1995. Personal Communication NMFS Northeast Fisheries Science Center.
- Sakai, H., Ichihashi, H., Suganuma, H., and R. Tatsukawa. 1995. Heavy metal monitoring in sea turtles using eggs. *Marine Pollution Bulletin* 30:347-353.
- Sarti M.L., S.A. Eckert, N. Garcia T., A.R. Barragan. 1996. Decline of the world's largest nesting assemblage of leatherback turtles. *Marine Turtle Newsletter* 74: 2-5.
- Schevill, W.E., W.A. Watkins, and K.E. Moore. 1986. Status of *Eubalaena glacialis* off Cape Cod. *Rep. Int. What. Common. (Special Issue 10):79-82*.
- Schroeder, B.A., A.M. Foley, B.E. Witherington, and A.E. Mosier. 1998. Ecology of marine turtles in Florida Bay: Population structure, distribution, and occurrence of fibropapilloma. U.S. Dep. Commer. NOAA Tech. Memo. NMFS-SEFSC-415:265-267.
- Schroeder, B.A. 2001. Personal Communication. Email to Sheryan Epperly, NMFS, March 14.
- Schulz, J.P. 1975. Sea turtles nesting in Surinam. *Zoologische Verhandelingen (Leiden)*, Number 143: 172 pp.
- Scott, G.P. and C.A. Brown. 1997. Estimates of marine mammal and marine turtle catch by the U.S. pelagic longline fleet in 1994-1995. U.S. Department of Commerce. NMFS SEFSC Tech. Rep. MIA-96/97-28, 14 pp.
- Sears, C.J. 1994. Preliminary genetic analysis of the population structure of Georgia loggerhead sea turtles. U.S. Dep. Commer. NOAA Tech. Memo

NMFS-SEFSC-351:135-139.

- Sears, C.J., B.W. Bowen, R.W. Chapman, S.B. Galloway, S.R. Hopkins-Murphy, and C.M. Woodley. 1995. Demographic composition of the feeding population of juvenile loggerhead sea turtles (*Caretta caretta*) off Charleston, South Carolina: evidence from mitochondrial DNA markers. *Mar. Biol.* 123:869-874.
- Shaver, D.J. 1994. Sea turtle abundance, seasonality and growth data at the Mansfield Channel, Texas. In B.A. Schroeder and B.E. Witherington (compilers), *Proceedings of the 13th annual symposium on sea turtle biology and conservation*, NOAA Tech. Memo NMFS-SEFC-341: 166-169.
- Shaver, D.J. 1991. Feeding ecology of wild and head-started Kemp's ridley sea turtles in south Texas waters. *Journal of Herpetology*. Vol. 23. 1991.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundance of loggerhead and leatherback sea turtles in the waters of the northeastern United States. *Herpetol. Monogr.* 6:43-67.
- Sindermann, C.J. 1994. Quantitative effects of pollution on marine and anadromous fish populations. NOAA Technical Memorandum NMFS-F/NEC-104, National Marine Fisheries Service, Woods Hole, Massachusetts.
- Skillman, R.A. and G.H. Balazs. 1992. Leatherback turtle captured by ingestion of squid bait on swordfish longline. *Fishery Bulletin* 90:807-808 (1992).
- Slay, C.K., S.D. Kraus, L.A. Conger, P.K. Hamilton, and A.R. Knowlton. 1996. Aerial surveys to reduce ship collisions with right whales in the nearshore coastal waters of Georgia and northeast Florida. Early Warning System Surveys - 1995/1996. Final report. NMFS Southeast Fisheries Science Center, Miami, Fla., Contract No. 50WCNF506012. 49 pp.
- Slay, C. 2000. Personal communication to Eric Hawk, NMFS. January 3 Email.
- Smith, T.I.J., E. Kennedy, and M.R. Collins. 1992. Identification of critical habitat requirements of shortnose sturgeon in South Carolina. Final Report to the U.S. Fish and Wildlife Service. Project No. AFS-17.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsboll, J. Sigurjónsson, P.T. Stevick, and N. Oien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Mar. Mamm. Sci.* 15(1):1-32.

- Sokal, R. R. and F.J. Rohlf. 1969. Introduction to Biostatistics pp368.
- Spotila, J.R., R.D. Reina, A.C. Steyermark, P.T. Plotkin, and F.V. Paladino. 2000. Pacific leatherback turtles face extinction. *Nature*. Vol. 405, Number 6786: 529-530.
- Spotila, J.R., P.T. Plotkin, and J.A. Keinath. 1998. In water population survey of sea turtles of Delaware Bay. Unpublished Report. Final Report to NMFS Office of Protected Resources for work conducted under Contract No. 43AANF600211 and NMFWS Permit No. 1007 by Drexel University, Philadelphia, Penna., 21 pp.
- Spotila, J.R., A.E. Dunham, A.J. Leslie, A.C. Steyermark, P.T. Plotkin, and F. V. Paladino. 1996. Worldwide Population Decline of *Demochelys coriacea*: Are Leatherback Turtles Going Extinct? *Chelonian Conservation and Biology* 2(2): 209-222.
- Storelli, M.M., E. Ceci and G.O. Marcotrigiano. 1998. Distribution of heavy metal residues in some tissues of *Caretta caretta* (Linnaeus) specimens beached along the Adriatic Sea (Italy). *Bulletin of Environmental Contamination and Toxicology* 60:546-552.
- Sutter, B. 2001. Personal Communication. NMFS, Highly Migratory Species Division. February 12, 2001 note to David Bernhart.
- Sutter B. 2001. Personal Communication. NMFS, Highly Migratory Species Division. January 29, 2001 Email to Eric Hawk.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Mar. Mamm. Sci.* 9(3):309-315.
- Swinkels, J.L. and L.H.G. van Tienen. in press. The Leatherback on the Move? Promising News from Suriname. Proceedings from the 20th Annual Sea Turtle Symposium on Sea Turtle Biology and Conservation.
- Townsend, C.H. 1935. The distribution of certain whales as shown by logbook records of American whale ships. *Zoologica* 19: 1-50.
- Turtle Expert Working Group. 1998. (Byles, R., C. Caillouet, D. Crouse, L. Crowder, S. Epperly, W. Gabriel, B. Gallaway, M. Harris, T. Henwood, S. Heppell, R. Marquez-M, S. Murphy, W. Teas, N. Thompson, and B. Witherington). An Assessment of the Kemp's ridley sea turtle (*Lepidochelys kempii*) and loggerhead (*Caretta caretta*) sea turtle populations in the Western North Atlantic. U.S. Dep. Commer. NOAA

- Tech. Mem. NMFS-SEFSC-409, 96 pp.
- Turtle Expert Working Group. 2000. Assessment update for the Kemp's ridley and loggerhead sea turtle populations in the western North Atlantic. U.S. Dep. Commer. NOAA Tech. Mem. NMFS-SEFSC-444, 115 pp.
- Underwood, G. 1951. Introduction to the study of Jamaican reptiles. Part 5. Nat. Hist. Notes, Nat. Hist. Soc. Jamaica 46: 209-213.
- USFWS and NMFS. 1991. Recovery plan for the U.S. population of loggerhead turtle. National Marine Fisheries Service, Washington, D.C.
- USFWS and NMFS. 1992. Recovery plan for the Kemp's ridley sea turtle (*Lepidochelys kempii*). NMFS, St. Petersburg, Florida.
- USFWS and NMFS. 1992a. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic, and Gulf of Mexico. National Marine Fisheries Service, Washington, D.C.
- USFWS and NMFS. 1995. Status reviews for sea turtles listed under the Endangered Species Act of 1973. National Marine Fisheries Service, Silver Spring, Md.
- Vargo, S., P. Lutz, D. Odell, E. Van Vleep, and G. Bossart. 1986. Final report: Study of effects of oil on marine turtles. Tech. Rep. O.C.S. study MMS 86-0070. Volume 2. 181 pp.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam, and M. Sano. 1993. Sperm whales associated with Gulf Stream features off the northeastern USA shelf. Fish. Oceanogr. 2(2):101-105.
- Waring, G.T., D.L. Palka, K.D. Mullin, J.H.W. Hain, L.J. Hansen, and K.D. Bisack. 1997. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 1996. NOAA Tech. Memo. NMFS-NE-114. U.S. Department of Commerce, Washington, D.C. 250 pp.
- Waring, G.T., D.L. Palka, P.J. Clapham, S. Swartz, M.C. Rossman, T.V.N. Cole, K.D. Bisack, and L.J. Hansen. 1999. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 1998. NOAA Tech. Memo. NMFS-NE-116. U.S. Department of Commerce, Washington, D.C. 182 pp.
- Waring, G.T., J.M. Quintal, S.L. Swartz, N.B. Barrios, P.J. Clapham, T.V.N. Cole, C.P. Fairfield, L.J. Hansen, K.D. Mullin, D.K. Odell, D.L. Palka, M.C. Rossman, U.S. Fish and Wildlife Service, R.S. Wells, C. Yeung. 2000. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments-2000.

- NOAA Tech. Memo. NMFS-NE-162. U.S. Department of Commerce, Woods Hole, Massachusetts. 303pp.
- Watkins, W.A., and W.E. Schevill. 1982. Observations of right whales, *Eubalaena glacialis* in Cape Cod waters. Fish. Bull., U.S. 80(4):875-880.
- Watkins, W.A., K.E. Moore, J. Sigurjónsson, D. Wartzok, and G.N. Di Sciara. 1984. Fin whale (*Balaenoptera physalus*) tracked by radio in the Irminger Sea. Rit Fiskideildar. 8(1):1-14.
- Watkins, W.A., M.A. Daher, K.M. Fristrup, and T.J. Howald. 1993. Sperm whales tagged with transponders and tracked underwater by sonar. Mar. Mamm. Sci. 9(1):55-67.
- Werner, F., B. Blanton, J. Quinlan, and R. Luetlich, Jr. 1999. Physical oceanography of the North Carolina continental shelf during the fall and winter seasons: implications for the transport of larval menhaden. Fisheries Oceanography 8(Supplement 2):7-21.
- Weber, W. 1996. Population size and habitat use of shortnose sturgeon, *Acipenser brevirostrum*, in the Ogeechee River system, Georgia. Masters thesis, University of Georgia, Athens, Georgia.
- Wetherall, J. 1996. Introduction in TURTSIM Model. In: Bolten, A.B., J.A. Wetherall, G.H. Balazs, and S.G. Pooley (compilers). 1996. Status of marine turtles in the Pacific Ocean relevant to incidental take in the Hawaii-based pelagic longline fishery. U.S. Dept. of Commerce, NOAA Technical Memorandum, NOAA-TM-NMFS- SWFSC-230. p. 15-21.
- White F. 1994. Swallowing dynamics of sea turtles. (Research plan to assess marine turtle hooking mortality: results of an expert workshop held in Honolulu, Hawaii November 16-18, 1993. NOAA Tech. Memo., NOAA-TM-NMFS-SWFSC-201, Honolulu Laboratory, Honolulu, Hawaii. 166 pp.; June 1994, p. 89-95).
- Wibbels, T., D.W. Owens, Y.A. Morris, and M.S. Amoss. 1987. Sexing techniques and sex ratios for immature loggerhead sea turtles captured along the Atlantic coast of the United States. U.S. Dep. Commer. NOAA Tech. Rep. NMFS-53:65-73.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. Fish. Bull., U.S. 93:196-205.

- Winn, H.E. 1982. A Characterization of Marine Mammals and Turtles in the Mid- and North Atlantic Areas of the U.S. Outer Continental Shelf. Final Report of the Cetacean and Turtle Assessment Program. Univ. RI Graduate School of Oceanography, Kingston, RI. 450 pp.
- Winn, H.E., C.A. Price, and P.W. Sorenson. 1986. The distributional biology of the right whale (*Eubalaena glacialis*) pp. 129-138. In: Brownell Jr., R.L., P.B. Best, and J.H. Prescott (eds). 1986. Right Whales: Past and Present Status. Repts. of the IWC; Special Issue No. 10. Cambridge, England. 286 pp.
- Witherington, B.E. *in review*. Ecology of neonate sea turtles inhabiting debris lines near the Gulf Stream front. Mar. Biol.
- Witkowski, S.A. and J.G. Frazier. 1982. Heavy metals in sea turtles. Marine Pollution Bulletin 13:254-255.
- Witzell, W.N. In preparation. Pelagic loggerhead turtles revisited: additions to the life history model? 6 pp.
- Witzell, W.N. 1999. Distribution and relative abundance of sea turtles caught incidentally by the U.S. pelagic longline fleet in the western North Atlantic Ocean, 1992-1995. Fisheries Bulletin. 97:200-211.
- Witzell, W.N. and W.G. Teas. 1994. The impacts of anthropogenic debris on marine turtles in the Western North Atlantic Ocean, 1992-1995. Fish. Bull. 97:200-211.
- Witzell, W.N., A.L. Bass, M.J. Bresette, D.A. Singewald, and J.C. Gorham. In press. Origin of immature loggerhead sea turtle (*Caretta caretta*) from Hutchinson Island, Florida: evidence from mtDNA markers, 29 pp.
- Work, T.M. 2000. Synopsis of necropsy findings of sea turtles caught by the Hawaii-based pelagic longline fishery. November, 2000.
- Würsig, B., T.A. Jefferson, and D.J. Schmidly. 2000. The Marine Mammals of the Gulf of Mexico. College Station: Texas A&M University Press. 232 pp.
- Yeung, C. 1999. Estimates of marine mammal and marine turtle bycatch by the U.S. Atlantic pelagic longline fleet in 1998. U.S. Dep. Commer. NOAA Tech. Memo. NMFS-SEFSC-430, 26 pp.
- Yeung, C., S. Epperly, and C. A. Brown. 2000. Preliminary revised estimates of marine mammal and marine turtle bycatch by the U.S. Atlantic pelagic longline fleet, 1992-1999 National Marine Fisheries Service Miami

Laboratory PRD Contribution Number 99/00-13, SEFSC Miami, Fla.
Revised tables with estimates through 1999 are in Appendix 3 and data on turtles observed in 1999 and 2000 are in Appendix 3 and turtles and observers comments are detailed in Appendix 4.

Zemsky, V.A., A.A. Berzin, Y.A. Mikhailiev, and D.D. Tormosov. 1995. Antarctic whaling data (1947-1972). Center for Russian Environmental Policy, Moscow. 320 pp. (In Russian with English summaries).

Zug, G.R. 1996. Age and growth in leatherback turtles, *Dermochelys coriacea* (Testudines: Dermochelyidae): a skeletochronological analysis *Chelonia Conservation and Biology*: 1996, v.2, no. 2, P. 244-249.