

GREEN TURTLE FINAL LISTING RULE REFERENCES

- Abbott IA (1984) Limu: An Ethnobotanical Study of Some Hawaiian Seaweeds. National Tropical Botanical Garden, Kauai
- Abe O, Shibuno T, Takada Y, Hashimoto K, Tanizaki S, Hisakazu I, Funakura Y, Sano K, Okamura Y (2003) Nesting populations of sea turtle in Ishigaki Island, Okinawa Proceedings of the 4th SEASTAR2000 Workshop, 11–13 December 2003, Bangkok
- Ackerman RA, Lutz P, Musick J (1997) The nest environment and the embryonic development of sea turtles. *Biology of Sea Turtles* 1:83-106
- Adimey NM, Hudak CA, Powell JR, Bassos-Hull K, Foley A, Farmer NA, White L, Minch K (2014) Fishery gear interactions from stranded bottlenose dolphins, Florida manatees and sea turtles in Florida, USA. *Marine Pollution Bulletin* 81:103-115
- Alfaro-Shigueto J, Mangel JC, Pajuelo M, Dutton PH, Seminoff JA, Godley BJ (2010) Where small can have a large impact: structure and characterization of small-scale fisheries in Peru. *Fisheries Research* 106:8-17
- Alfaro-Shigueto J, Mangel JC, Bernedo F, Dutton PH, Seminoff JA, Godley BJ (2011) Small-scale fisheries of Peru: a major sink for marine turtles in the Pacific. *Journal of Applied Ecology* 48:1432-1440
- Alvarado-Díaz J, Figueroa A (1990) The ecological recovery of sea turtles of Michoacan, Mexico, special attention: the black turtle, *Chelonia agassizii*. Final Report for USFWS and WWF-US
- Amerson AB (1971) The natural history of French Frigate Shoals Northwestern Hawaiian Islands: vegetation. *Atoll Research Bulletin* 150:62-79
- Amesbury JR (2007) Mollusk collecting and environmental change during the Prehistoric Period in the Mariana Islands. *Coral Reefs* 26:947-958
- Anastacio R, Santos C, Lopes C, Moreira H, Souto L, Ferrao J, Garnier J, Pereira MJ (2014) Reproductive biology and genetic diversity of the green turtle (*Chelonia mydas*) in Vamizi island, Mozambique. *Springerplus* 3:540
- Anderson TR, Fletcher CH, Barbee MM, Frazer LN, Romine BM (2015) Doubling of coastal erosion under rising sea level by mid-century in Hawaii. *Natural Hazards* 78:75-103
- Angliss RP, Silber GK, Merrick R (2002) Report of a workshop on developing recovery criteria for large whale species. NOAA Technical Memorandum, NMFS-OPR-21 32
- Antonelis GA, Baker JD, Johanos TC, Braun RC, Harting AL (2006) Hawaiian monk seal (*Monachus schauinslandi*): status and conservation issues. *Atoll Research Bulletin* 543:75-101
- Arthur KE, Balazs GH (2008) A comparison of immature green turtle (*Chelonia mydas*) diets among seven sites in the Main Hawaiian Islands. *Pacific Science* 62:205-217
- Avise JC, Bowen BW, Lamb T, Meylan AB, Bermingham E (1992) Mitochondrial DNA evolution at a turtle's pace: evidence for low genetic variability and reduced microevolutionary rate in the Testudines. *Molecular Biology and Evolution* 9:457-473
- Badalamenti F, Ben Amer I, Dupuy De La Grandrive R, Foulquie M, Milazzo M, Sghaier YR, Gomei M, Limam A (2011) Scientific field survey report for the development of marine protected areas in Libya
- Baker JD, Littnan CL, Johnston DW (2006) Potential effects of sea level rise on the terrestrial habitats of endangered and endemic megafauna in the Northwestern Hawaiian Islands. *Endangered Species Research* 2:21-30

- Balazs GH (1980) Synopsis of biological data on the green turtle in the Hawaiian Islands. NOAA Technical Memorandum NMFS, NOAA-TM- NMFS-SWFC-7, and University of Hawaii Sea Grant Cooperative Report UNIH-SEAGRANT CR-81-02
- Balazs GH (1985) Impact of ocean debris on marine turtles: entanglement and ingestion. Shomura RS, Yoshida HO (eds) Proceedings of the Workshop on the Fate and Impact of Marine Debris, 26-29 November 1984, Honolulu, Hawaii, Book 27. NOAA Technical Memorandum NMFS/SWFC-54
- Balazs GH, Chaloupka M (2004a) Spatial and temporal variability in somatic growth of green sea turtles (*Chelonia mydas*) resident in the Hawaiian Archipelago. *Marine Biology* 145:1043-1059
- Balazs GH, Chaloupka M (2004b) Thirty-year recovery trend in the once depleted Hawaiian green sea turtle stock. *Biological Conservation* 117:491-498
- Balazs GH, Chaloupka M (2006) Recovery trend over 32 years at the Hawaiian green turtle rookery of French Frigate Shoals. *Atoll Research Bulletin* 543:147-158
- Balazs GH, Van Houtan KS, Hargrove SA, Brunson SM, Murakawa SK (2015) A review of the demographic features of Hawaiian green turtles (*Chelonia mydas*). *Chelonian Conservation and Biology* 14:119-129
- Barr JM (2006) Community-based sea turtle monitoring and management at Helen Reef, Hatohebei State, Republic of Palau.
- Basintal P (2002) Sea turtle conservation at the Sabah's Turtle Islands Park, Malaysia. Kinan I (ed) Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop February 5–8, 2002. Honolulu, HI: Western Pacific Regional Fishery Management Council, Honolulu, Hawaii, USA
- Baudouin M, de Thoisy B, Chambault P, Berzins R, Entraygues M, Kelle L, Turny A, Le Maho Y, Chevallier D (2015) Identification of key marine areas for conservation based on satellite tracking of post-nesting migrating green turtles (*Chelonia mydas*). *Biological Conservation* 184:36-41
- Bell CD, Blumenthal JM, Austin TJ, Solomon JL, Ebanks-Petrie G, Broderick AC, Godley BJ (2007) Traditional Caymanian fishery may impede local marine turtle population recovery. *Endangered Species Research* 1:63
- Benaka L (2013) Identifying bycatch levels and trends in US Fisheries. Proceedings of the 143rd Annual Meeting of the American Fisheries Society
- Bjorndal KA, Bolten AB, Chaloupka MY (2000) Green turtle somatic growth model: evidence for density dependence. *Ecological Applications* 10:269-282
- Bjorndal KA, Wetherall JA, Bolten AB, Mortimer JA (1999) Twenty-six years of green turtle nesting at Tortuguero, Costa Rica: an encouraging trend. *Conservation Biology* 13:126-134
- Bourjea J, Clermont S, Delgado A, Murua H, Ruiz J, Ciccione S, Chavance P (2014) Marine turtle interaction with purse-seine fishery in the Atlantic and Indian Oceans: lessons for management. *Biological Conservation* 178:74-87
- Bowen BW, Meylan AB, Ross JP, Limpus CJ, Balazs GH, Avise JC (1992) Global population structure and natural history of the green turtle (*Chelonia mydas*) in terms of matriarchal phylogeny. *Evolution* 46:865-881
- Bowen W, Avise J (1995) Conservation genetics of marine turtles. Avise J, Hamrick J (eds) *Conservation Genetics: Case Histories from Nature*. Columbia University Press, New York

- Brei M, Pérez-Barahonab A, Strobl E (2014) Environmental pollution and biodiversity: light pollution and sea turtles in the Caribbean. *Journal of Economic Literature* 57
- Broderick AC, Frauenstein R, Glen F, Hays GC, Jackson AL, Pelembe T, Ruxton GD, Godley BJ (2006) Are green turtles globally endangered? *Global Ecology and Biogeography* 15:21-26
- Brost B, Witherington B, Meylan A, Leone E, Ehrhart L, Bagley D (2015) Sea turtle hatchling production from Florida (USA) beaches, 2002-2012, with recommendations for analyzing hatching success. *Endangered Species Research* 27:53-68
- Bruun P (1962) Sea-level rise as a cause of shore erosion. *Journal of the Waterways and Harbors Division* 88:117-132
- Bureau of Marine Resources (2005) Palau marine turtle conservation and management project, September 2004 to September 2005, Bureau of Marine Resources, Republic of Palau
- Carr A, Carr MH (1972) Site fixity in the Caribbean green turtle. *Ecology*: 425-429
- Carreras C, Castillo JJ, López-Jurado LF, Cardona L, Gozalbes P, Sánchez P, Bellido JJ, Monzón-Argüello C, Marco A, Tomás J, Fernández G, Calabuig P, Medina P (2014) Origin and dispersal routes of foreign green and Kemp's ridley turtles in Spanish Atlantic and Mediterranean waters. *Amphibia-Reptilia* 35:73-86
- Casale P, Mariani P (2014) The first 'lost year' of Mediterranean sea turtles: dispersal patterns indicate subregional management units for conservation. *Marine Ecology Progress Series* 498:263-274
- Cavallo C, Dempster T, Kearney MR, Kelly E, Booth D, Hadden KM, Jessop TS, Woods A (2015) Predicting climate warming effects on green turtle hatchling viability and dispersal performance. *Functional Ecology* 29:768-778
- Chaloupka M, Balazs G (2007) Using Bayesian state-space modelling to assess the recovery and harvest potential of the Hawaiian green sea turtle stock. *Ecological Modelling* 205:93-109
- Chaloupka MY, Bjørndal KA, Balazs GH, Bolten AB, Ehrhart LM, Limpus CJ, Suganuma H, Tröng S, Yamaguchi M (2008) Encouraging outlook for recovery of a once severely exploited marine megaherbivore. *Global Ecology and Biogeography* 17:297-304
- CNMI Coastal Resources Management Office (2011) Section 309 assessment and strategy report 2011-2015
- Conant TA, Dutton PH, Eguchi T, Epperly SP, Fahy CC, Godfrey MH, MacPherson SL, Possardt EE, Schroeder BA, Seminoff JA, Snover ML, Upton CM, Witherington BE (2009) Loggerhead sea turtle (*Caretta caretta*) 2009 status review under the US Endangered Species Act. Proceedings of the Report of the Biological Review Team to the National Marine Fisheries Service
- Coston-Clements L, Hoss DE, Center SF (1983) Synopsis of data on the impact of habitat alteration on sea turtles around the southeastern United States. NMFS, Southeast Fisheries Center, Beaufort Laboratory
- Craig P, Parker DM, Brainard RE, Rice M, Balazs GH (2004) Migrations of green turtles in the central South Pacific. *Biological Conservation* 116:433-438
- de Paz N, Reyes J, Echegaray M, Cosieras A, Marinos R (2002) Datos sobre captura, comercio y biología de tortugas marinas en el área de Pisco-Paracas. I Jornada Científica " Bases ecológicas y socioeconómicas para el manejo de los recursos vivos de la Reserva Nacional de Paracas" Universidad Nacional Agraria La Molina:125-129
- Delgado-Trejo C, Alvarado-Díaz J (2012) Current conservation status of the black sea turtle in

- Michoacan, Mexico. Seminoff JA, Wallace BP (eds) Sea turtles of the Eastern Pacific: Advances in Research and Conservation University of Arizona Press, Tucson
- Dewald JR, Pike DA, Manne L (2014) Geographical variation in hurricane impacts among sea turtle populations. *Journal of Biogeography* 41:307-316
- Dizon A, Balazs G (1982) Radio telemetry of Hawaiian green turtles at their breeding colony. *Marine Fisheries Review* 44:13-20
- Dutton A, Carlson A, Long A, Milne G, Clark P, DeConto R, Horton B, Rahmstorf S, Raymo M (2015) Sea-level rise due to polar ice-sheet mass loss during past warm periods. *Science* 349:aaa4019
- Dutton PH, Jensen MP, Frey A, LaCasella E, Balazs GH, Zarate P, Chassin-Noria O, Sarti-Martinez AL, Velez E (2014a) Population structure and phylogeography reveal pathways of colonization by a migratory marine reptile (*Chelonia mydas*) in the central and eastern Pacific. *Ecology and Evolution* 4:4317-4331
- Dutton PH, Jensen MP, Frutchey K, Frey A, LaCasella E, Balazs GH, Cruce J, Tagarino A, Farman R, Tatarata M (2014b) Genetic stock structure of green turtle (*Chelonia mydas*) nesting populations across the Pacific islands. *Pacific Science* 68:451-464
- Esteban N, van Dam RP, Harrison E, Herrera A, Berkel J (2015) Green and hawksbill turtles in the Lesser Antilles demonstrate behavioural plasticity in inter-nesting behaviour and post-nesting migration. *Marine Biology* 162:1153-1163
- Fish MR, Cote IM, Gill JA, Jones AP, Renshoff S, Watkinson AR (2005) Predicting the impact of sea-level rise on Caribbean Sea turtle nesting habitat. *Conservation Biology* 19:482-491
- Fish MR, Côté IM, Horrocks JA, Mulligan B, Watkinson AR, Jones AP (2008) Construction setback regulations and sea-level rise: mitigating sea turtle nesting beach loss. *Ocean and Coastal Management* 51:330-341
- Ford MR, Kench PS (2015) Multi-decadal shoreline changes in response to sea level rise in the Marshall Islands. *Anthropocene* 11:14-24
- Ford MR, Kench PS (2016) Spatiotemporal variability of typhoon impacts and relaxation intervals on Jaluit Atoll, Marshall Islands. *Geology* 44:159-162
- Francke DL (2013) Marine turtle strandings in the Hawaiian Islands, January-December 2012. Marine Turtle Research Program, Protected Species Division, NOAA Pacific Islands Fisheries Science Center
- Fuentes M, Maynard JA, Guinea M, Bell IP, Werdell PJ, Hamann M (2009) Proxy indicators of sand temperature help project impacts of global warming on sea turtles in northern Australia. *Endangered Species Research* 9:33-40
- Fuentes MMPB, Bateman BL, Hamann M (2011a) Relationship between tropical cyclones and the distribution of sea turtle nesting grounds. *Journal of Biogeography* 38:1886-1896
- Fuentes MMPB, Dawson JL, Smithers SG, Hamann M, Limpus CJ (2010a) Sedimentological characteristics of key sea turtle rookeries: potential implications under projected climate change. *Marine and Freshwater Research* 61:464
- Fuentes MMPB, Hamann M, Limpus CJ (2010b) Past, current and future thermal profiles of green turtle nesting grounds: implications from climate change. *Journal of Experimental Marine Biology and Ecology* 383:56-64
- Fuentes MMPB, Limpus CJ, Hamann M (2011b) Vulnerability of sea turtle nesting grounds to climate change. *Global Change Biology* 17:140-153
- Gertz EJ (2015) The endangered sea turtle caught in a war zone. *Take Part*.

- <http://www.takepart.com/article/2015/02/14/endangered-green-turtle-mediterranean-libya>
- Godfrey MH, Mrosovsky N (2006) Pivotal temperature for green sea turtles, *Chelonia mydas*, nesting in Suriname. *The Herpetological Journal* 16:55-61
- Gonzalez Carman V, Acha EM, Maxwell SM, Albareda D, Campagna C, Mianzan H (2014) Young green turtles, *Chelonia mydas*, exposed to plastic in a frontal area of the SW Atlantic. *Marine Pollution Bulletin* 78:56-62
- Grant KM, Rohling EJ, Bar-Matthews M, Ayalon A, Medina-Elizalde M, Ramsey CB, Satow C, Roberts AP (2012) Rapid coupling between ice volume and polar temperature over the past 150,000 years. *Nature* 491:744-747
- Groombridge B, Luxmoore R (1989) The green turtle and hawksbill (Reptilia: Cheloniidae): world status, exploitation and trade, CITES, Lausanne, Switzerland
- Guilder J, Barca B, Arroyo-Arce S, Gramajo R, Salom-Pérez R (2015) Jaguars (*Panthera onca*) increase kill utilization rates and share prey in response to seasonal fluctuations in nesting green turtle (*Chelonia mydas*) abundance in Tortuguero National Park, Costa Rica. *Mammalian Biology* 80:65-72
- Halley JM, Van Houtan KS, Mantua N (In review) How life history determines species sensitivity to climatic variability. *Ecology Letters*
- Hamann M, Limpus CJ, Read MA (2007) Vulnerability of marine reptiles in the Great Barrier Reef to climate change, The Great Barrier Reef Marine Park Authority: <http://elibrary.gbrmpa.gov.au/jspui/handle/11017/547>
- Hart CE, Blanco GS, Coyne MS, Delgado-Trejo C, Godley BJ, Jones TT, Resendiz A, Seminoff JA, Witt MJ, Nichols WJ (2015) Multinational tagging efforts illustrate regional scale of distribution and threats for east pacific green turtles (*Chelonia mydas agassizii*). *PLoS One* 10:e0116225
- Hawkes LA, Broderick AC, Godfrey M, Godley B, Witt M (2014) The impacts of climate change on marine turtle reproductive success. *Coastal Conservation*. Cambridge University Press, Cambridge
- Hawkes LA, Broderick AC, Godfrey MH, Godley BJ (2009) Climate change and marine turtles. *Endangered Species Research* 7:137-154
- Hays GC (2004) Good news for sea turtles. *Trends in Ecology and Evolution* 19:349-351
- Hays GC, Mortimer JA, Ierodiaconou D, Esteban N (2014) Use of long-distance migration patterns of an endangered species to inform conservation planning for the world's largest marine protected area. *Conservation Biology* 28:1636-1644
- Helm V, Humbert A, Miller H (2014) Elevation and elevation change of Greenland and Antarctica derived from CryoSat-2. *The Cryosphere* 8:1539-1559
- Hirama S (2001) Epizootiology of fibropapillomatosis in green turtle on the Atlantic coast of Florida. University of Central Florida: <http://stars.library.ucf.edu/rtd/1203>
- Hirama S, Ehrhart LM (2007) Description, prevalence and severity of green turtle fibropapillomatosis in three developmental habitats on the east coast of Florida. *Florida Scientist* 70:435-448
- Hönisch B, Ridgwell A, Schmidt DN, Thomas E, Gibbs SJ, Sluijs A, Zeebe R, Kump L, Martindale RC, Greene SE (2012) The geological record of ocean acidification. *Science* 335:1058-1063
- Humburg IN, Balazs GH (2014) Forty years of research: recovery records of green turtles observed or originally tagged at French Frigate Shoals in the Northwestern Hawaiian Islands, 1973-2013, NOAA Technical Memorandum NMFS-PIFSC-40

- IAC (2011) Ecuador Annual Report 2011, Inter-American Convention for the Protection and Conservation of Sea Turtles, <http://iacseaturtle.org/informes-eng.htm>
- IAC (2012) Ecuador Annual Report 2012, Inter-American Convention for the Protection and Conservation of Sea Turtles, <http://iacseaturtle.org/informes-eng.htm>
- IAC (2013) Ecuador Annual Report 2013, Inter-American Convention for the Protection and Conservation of Sea Turtles, <http://iacseaturtle.org/informes-eng.htm>
- IAC (2014) Ecuador Annual Report 2014, Inter-American Convention for the Protection and Conservation of Sea Turtles, <http://iacseaturtle.org/informes-eng.htm>
- IPCC (2010) General note for lead authors of the IPCC Fifth Assessment Report on consistent treatment of uncertainties, IPCC Cross-Working Group Meeting on Consistent Treatment of Uncertainties, Jasper Ridge, CA
- IPCC (2014) Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change, International Panel on Climate Change, Geneva
- IUCN (2012) IUCN Red List Categories and Criteria: Version 3.1, International Union for Conservation of Nature and Natural Resources, Gland, Switzerland and Cambridge, UK
- Jackson JB (1997) Reefs since Columbus. *Coral Reefs* 16:S23-S32
- Jones A, Gladstone W, Hacking N (2007) Australian sandy-beach ecosystems and climate change: ecology and management. *Australian Zoologist* 34:190-202
- Jones TT, Van Houtan KS (2014) Sea turtle tagging in the Mariana Islands Range Complex
- Joughin I, Smith BE, Medley B (2014) Marine ice sheet collapse potentially under way for the Thwaites Glacier Basin, West Antarctica. *Science* 344:735-738
- Jourdan J, Fuentes M (2015) Effectiveness of strategies at reducing sand temperature to mitigate potential impacts from changes in environmental temperature on sea turtle reproductive output. *Mitigation and Adaptation Strategies for Global Change* 20:121-133
- Karl SA, Bowen BW, Avise JC (1992) Global population genetic structure and male-mediated gene flow in the green turtle (*Chelonia mydas*): RFLP analyses of anonymous nuclear loci. *Genetics* 131:163-173
- Katsanevakis S, Levin N, Coll M, Giakoumi S, Shkedi D, Mackelworth P, Levy R, Velegrakis A, Koutsoubas D, Caric H, Brokovich E, Öztürk B, Kark S (2015) Marine conservation challenges in an era of economic crisis and geopolitical instability: the case of the Mediterranean Sea. *Marine Policy* 51:31-39
- Keller BD, Gleason DF, McLeod E, Woodley CM, Airame S, Causey BD, Friedlander AM, Grober-Dunsmore R, Johnson JE, Miller SL, Steneck RS (2009) Climate Change, coral reef ecosystems, and management options for marine protected areas. *Environmental Management* 44:1069-1088
- Keller JM, Balazs GH, Nilsen F, Rice M, Work TM, Jensen BA (2014) Investigating the potential role of persistent organic pollutants in Hawaiian green sea turtle fibropapillomatosis. *Environmental Science and Technology* 48:7807-7816
- Kittinger JN, Houtan KSV, McClenachan LE, Lawrence AL (2013) Using historical data to assess the biogeography of population recovery. *Ecography* 36:868-872
- Kolinski SP, Hoeke RK, Holzwarth SR, Ilo LI, Cox EF, O'Conner RC, Vroom PS (2006) Nearshore distribution and an abundance estimate for green sea turtles, *Chelonia mydas*, at Rota Island, Commonwealth of the Northern Mariana Islands. *Pacific Science* 60:509-522
- Kolinski SP, Hoeke RK, Holzwarth SR, Vroom PS (2005) Sea turtle abundance at isolated reefs

- of the Mariana Archipelago. *Micronesica* 37:287-296
- Kolinski SP, Ilo LI, Manglona JM (2004) Green turtles and their marine habitats at Tinian and Aguijan, with projections on resident turtle demographics in the Southern Arc of the Commonwealth of the Northern Mariana Islands. *Micronesica* 37:97-118
- Kolinski SP, Parker DM, Ilo LI, Ruak JK (2001) An assessment of the sea turtles and their marine and terrestrial habitats at Saipan, Commonwealth of the Northern Mariana Islands. *Micronesica* 34:55-72
- Lagueux CJ, Campbell CL, Strindberg S (2014) Artisanal green turtle, *Chelonia mydas*, fishery of Caribbean Nicaragua: I. Catch rates and trends, 1991-2011. *PLoS One* 9:e94667
- Lande R, Engen S, Saether B-E (2003) *Stochastic Population Dynamics in Ecology and Conservation*. Oxford University Press, Oxford
- Landry MS, Taggart CT (2010) “Turtle watching” conservation guidelines: green turtle (*Chelonia mydas*) tourism in nearshore coastal environments. *Biodiversity and Conservation* 19:305-312
- Lapointe BE, Bedford BJ (2011) Stormwater nutrient inputs favor growth of non-native macroalgae (Rhodophyta) on O’ahu, Hawaiian Islands. *Harmful Algae* 10:310-318
- Lowry L, Laist DW, Gilmartin WG, Antonelis G (2011) Recovery of the Hawaiian monk seal (*Monachus schauinslandi*): a review of conservation efforts, 1972 to 2010, and thoughts for the future. *Aquatic Mammals* 37:397-419
- Maison KA, Kinan-Kelly I, Frutchey KP (2010) Green turtle nesting sites and sea turtle legislation throughout Oceania, NOAA Technical Memorandum NMFS-F/SPO-110, 52 pages
- Mancini A, Elsadek I, El-Alwany MAN (2015) Marine turtles of the Red Sea. Rasul N, Stewart I (eds) *The Red Sea*. Springer Berlin, Heidelberg
- Marquez MR (1990) Sea turtles of the world. An annotated and illustrated catalogue of sea turtle species known to date, *FAO Species Catalogue* 1:1-81
- Martin SL, Van Houtan KS, Jones TT, Aguon CF, Gutierrez JT, Tibbatts RB, Wusstig SB, Bass JD (2015) Five decades of marine megafauna surveys from Micronesia. *Frontiers in Marine Science* 2:116
- Mazaris AD, Matsinos G, Pantis JD (2009) Evaluating the impacts of coastal squeeze on sea turtle nesting. *Ocean and Coastal Management* 52:139-145
- McClenachan L, Jackson JB, Newman MJ (2006) Conservation implications of historic sea turtle nesting beach loss. *Frontiers in Ecology and the Environment* 4:290-296
- McDermid KJ, Lefebvre JA, Balazs GH (2015) Nonnative seashore *Paspalum*, *Paspalum vaginatum* (Poaceae), consumed by Hawaiian green sea turtles (*Chelonia mydas*): evidence for nutritional benefits. *Pacific Science* 69:48-57
- McElhany P, Ruckelshaus M, Ford M, Wainwright T, Bjorkstedt E (2000) Viable salmonid populations and the recovery of evolutionarily significant units. NOAA Technical Memorandum NMFS-NWFSC 42:156
- Meadows D (2004) Behavior of green sea turtles in the presence and absence of recreational snorkellers. *Marine Turtle Newsletter* 103:1-4
- Mortimer JA, Day M (1999) Sea turtle populations and habitats in the Chagos Archipelago. Sheppard CRC, Seaward MRD (eds) *Ecology of the Chagos Archipelago*. Linnean Society Occasional Publications
- Mortimer JA, Portier KM (1989) Reproductive homing and interesting behavior of the green turtle (*Chelonia mydas*) at Ascension Island, South Atlantic Ocean. *Copeia* 4:962-977

- Naro-Maciel E, Gaughran SJ, Putman NF, Amato G, Arengo F, Dutton PH, McFadden KW, Vintinner EC, Sterling EJ (2014a) Predicting connectivity of green turtles at Palmyra Atoll, central Pacific: a focus on mtDNA and dispersal modelling. *Journal of the Royal Society Interface* 11:20130888
- Naro-Maciel E, Reid BN, Alter SE, Amato G, Bjorndal KA, Bolten AB, Martin M, Nairn CJ, Shamblin B, Pineda-Catalan O (2014b) From refugia to rookeries: phylogeography of Atlantic green turtles. *Journal of Experimental Marine Biology and Ecology* 461:306-316
- Ng CK, Dutton PH, Chan SK, Cheung K, Qiu J, Sun Y (2014) Characterization and conservation concerns of green turtles (*Chelonia mydas*) nesting in Hong Kong, China. *Pacific Science* 68:231-243
- NMFS (2005) Recovery plan for the North Atlantic right whale (*Eubalaena glacialis*), National Marine Fisheries Service, Silver Spring, MD
- NMFS (2010) Recovery plan for the fin whale (*Balaenoptera physalus*), National Marine Fisheries Service, Silver Spring, MD
- NMFS (2011) Final recovery plan for the sei whale (*Balaenoptera borealis*), National Marine Fisheries Service Silver Spring, MD
- NMFS (2012) Biological opinion on the continued operation of the Hawaii-based shallow-set longline swordfish fishery - under Amendment 18 to the Fishery Management Plan for Pelagic Fisheries of the Western Pacific Region, Pacific Islands Regional Office, National Marine Fisheries Service, Honolulu, HI
- NMFS (In progress) Report on the International Summit on Fibropapillomatosis of Marine Turtles: Global Status, Trends, and Population Impacts.
- NMFS and USFWS (1991) Recovery plan for the U.S. population of Atlantic green turtle, National Marine Fisheries Service, Silver Spring, MD
- NMFS and USFWS (1998) Recovery Plan for U.S. Pacific Populations of the Green Turtle (*Chelonia mydas*), National Marine Fisheries Service, Silver Spring, MD
- NMFS and USFWS (2007) Green sea turtle (*Chelonia mydas*) 5-year review: summary and evaluation, National Marine Fisheries Service, Silver Spring, MD
- NRC (2010) Assessment of Sea Turtle Status and Trends: Integrating Demography and Abundance, National Research Council, Washington
- Palacios AI (2012) CNMI sea turtle program annual report, January 1, 2011 - December 31, 2011. Commonwealth of the Northern Mariana Islands, Department of Lands and Natural Resources
- Palau Bureau of Marine Resources (2008) Marine turtle conservation and monitoring program, final report, Bureau of Marine Resources, Republic of Palau. Unpublished grant report. 31 pp
- Pandolfi J, Jackson JBC, Baron N, Bradbury R (2005) Are US coral reefs on the slippery slope to slime? *Science* 307:1725
- Pauly D (1995) Anecdotes and the shifting baseline syndrome of fisheries. *Trends in Ecology and Evolution* 10:430
- Pike DA, Roznik EA, Bell I (2015) Nest inundation from sea-level rise threatens sea turtle population viability. *Royal Society Open Science* 2:150127
- Pike DA, Stiner JC (2007) Sea turtle species vary in their susceptibility to tropical cyclones. *Oecologia* 153:471-478
- Poloczanska ES, Limpus CJ, Hays GC (2009) Vulnerability of marine turtles to climate change. Sims D (ed) *Advances in Marine Biology*, Book 56. Academic Press, Burlington

- Powers SP, Hernandez FJ, Condon RH, Drymon JM, Free CM (2013) Novel pathways for injury from offshore oil spills: direct, sublethal and indirect effects of the Deepwater Horizon Oil Spill on pelagic *Sargassum* communities. *PLoS One* 8:e74802
- Putman NF, Mansfield KL (2015) Direct evidence of swimming demonstrates active dispersal in the sea turtle "lost years". *Current Biology* 25:1221-1227
- Putman NF, Naro-Maciel E (2013) Finding the 'lost years' in green turtles: insights from ocean circulation models and genetic analysis. *Proceedings of the Royal Society B: Biological Sciences* 280:20131468
- Read TC, Wantiez L, Werry JM, Farman R, Petro G, Limpus CJ (2014) Migrations of green turtles (*Chelonia mydas*) between nesting and foraging grounds across the Coral Sea. *PLoS One* 9:e100083
- Reynolds MHH, Berkowitz P, Courtot KNN, Krause CMM (2012) Predicting sea-level rise vulnerability of terrestrial habitat and wildlife of the northwestern Hawaiian Islands, U.S. Geological Survey Open-File Report 2012-1182
- Rhodes AC (2015) Assessing the effect of beach dynamics on nest site selection of green turtles (*Chelonia mydas*) in Playa Cabuyal, Costa Rica. Purdue University
- Rignot E, Mouginot J, Morlighem M, Seroussi H, Scheuchl B (2014) Widespread, rapid grounding line retreat of Pine Island, Thwaites, Smith, and Kohler glaciers, West Antarctica, from 1992 to 2011. *Geophysical Research Letters* 41:3502-3509
- Roden SE, Morin PA, Frey A, Balazs GH, Zarate P, Cheng I-J, Dutton PH (2013) Green turtle population structure in the Pacific: new insights from single nucleotide polymorphisms and microsatellites. *Endangered Species Research* 20:227
- Romine BM, Fletcher CH, Barbee MM, Anderson TR, Frazer LN (2013) Are beach erosion rates and sea-level rise related in Hawaii? *Global and Planetary Change* 108:149-157
- Ruiz-Izaguirre E, van Woersem A, Eilers KCHAM, van Wieren SE, Bosch G, van der Zijpp AJ, de Boer IJM (2015) Roaming characteristics and feeding practices of village dogs scavenging sea-turtle nests. *Animal Conservation* 18:146-156
- Russell DJ, Balazs GH (2009) Dietary shifts by green turtles (*Chelonia mydas*) in the Kane'ohe Bay region of the Hawaiian Islands: a 28-year study. *Pacific Science* 63:181-192
- Santidrián Tomillo P, Roberts SA, Hernández R, Spotila JR, Paladino FV (2015) Nesting ecology of East Pacific green turtles at Playa Cabuyal, Gulf of Papagayo, Costa Rica. *Marine Ecology* 36:506-516
- Santos KC, Livesey M, Fish M, Lorences AC (2015a) Climate change implications for the nest site selection process and subsequent hatching success of a green turtle population. *Mitigation and Adaptation Strategies for Global Change*: 1-15
- Santos RG, Martins AS, Batista MB, Horta PA (2015b) Regional and local factors determining green turtle *Chelonia mydas* foraging relationships with the environment. *Marine Ecology Progress Series* 529:265-277
- Schaffer WM (1981) On reproductive value and fitness. *Ecology* 62:1683-1685
- Schuyler Q, Hardesty BD, Wilcox C, Townsend K (2014) Global analysis of anthropogenic debris ingestion by sea turtles. *Conservation Biology* 28:129-139
- Seminoff JA (2004) *Chelonia mydas*. The IUCN Red List of Threatened Species 2004: e.T4615A11037468. <http://dxdoi.org/102305/IUCNUK2004RLTST4615A11037468en>
- Seminoff JA, Allen CD, Balazs GH, Dutton PH, Eguchi T, Haas HL, Hargrove SA, Jensen MP, Klemm DL, Lauritsen AM, MacPherson SL, Opay P, Possardt EE, Pultz SL, Seney EE, Houtan KSV, Waples RS (2015) Status review of the green turtle (*Chelonia mydas*)

- under the U.S. Endangered Species Act, NOAA Technical Memorandum, NOAA-NMFS-SWFSC-539, La Jolla
- Senko J, Mancini A, Seminoff JA, Koch V (2014) Bycatch and directed harvest drive high green turtle mortality at Baja California Sur, Mexico. *Biological Conservation* 169:24-30
- Shamblin BM, Bagley DA, Ehrhart LM, Desjardin NA, Martin RE, Hart KM, Naro-Maciel E, Rusenko K, Stiner JC, Sobel D, Johnson C, Wilmers TJ, Wright LJ, Nairn CJ (2014) Genetic structure of Florida green turtle rookeries as indicated by mitochondrial DNA control region sequences. *Conservation Genetics* 16:673-685
- Snover ML (2008) Comments on “Using Bayesian state-space modelling to assess the recovery and harvest potential of the Hawaiian green sea turtle stock.” *Ecological Modeling* 212:545-549
- Stokes KL, Broderick AC, Canbolat AF, Candan O, Fuller WJ, Glen F, Levy Y, Rees AF, Rilov G, Snape RT, Stott I, Tchernov D, Godley BJ, Richardson D (2015) Migratory corridors and foraging hotspots: critical habitats identified for Mediterranean green turtles. *Diversity and Distributions* 21:665-674
- Stringell TB, Clerveaux WV, Godley BJ, Phillips Q, Ranger S, Richardson PB, Sanghera A, Broderick AC (2015) Fisher choice may increase prevalence of green turtle fibropapillomatosis disease. *Frontiers in Marine Science* 2: Article 57
- Summers TM, Jones TT, Hapdei JR, Ruak JK, Lepczyk CA (In progress) Assessment of green, *Chelonia mydas* and hawksbill, *Eretmochelys imbricata* (Reptilia: Cheloniidae) sea turtles at near-shore foraging areas in the Commonwealth of the Northern Mariana Islands
- Tiwari M, Balazs GH, Hargrove S (2010) Estimating carrying capacity at the green turtle nesting beach of East Island, French Frigate Shoals. *Marine Ecology Progress Series* 419:289-294
- Trevor AP (2009) Turtle Research and Monitoring Database System (TREDS) Annual Report 2009, SPREP
- Troëng S, Rankin E (2005) Long-term conservation efforts contribute to positive green turtle *Chelonia mydas* nesting trend at Tortuguero, Costa Rica. *Biological Conservation* 121:111-116
- Trusel LD, Frey KE, Das SB, Karnauskas KB, Kuipers Munneke P, van Meijgaard E, van den Broeke MR (2015) Divergent trajectories of Antarctic surface melt under two twenty-first-century climate scenarios. *Nature Geoscience* 8:927-932
- Tuato'o-Bartley N, Morrell TE, Craig P (1993) Status of sea turtles in American Samoa in 1991. *Pacific Science* 47:215-221
- Ullmann J, Stachowitsch M (2015) A critical review of the Mediterranean sea turtle rescue network: a web looking for a weaver. *Nature Conservation* 10:45-69
- UNFCCC (2015) Adoption of the Paris Agreement, United Nations Framework Convention on Climate Change
- Van Houtan KS, Bass AL (2007) Stormy oceans are associated with declines in sea turtle hatching. *Current Biology* 17:R590-591
- Van Houtan KS, Halley JM, Marks W (2015) Terrestrial basking sea turtles are responding to spatio-temporal sea surface temperature patterns. *Biology Letters* 11:20140744
- Van Houtan KS, Kittinger JN (2014) Historical commercial exploitation and the current status of Hawaiian green turtles. *Biological Conservation* 170:20-27
- Van Houtan KS, Smith CM, Dailer ML, Kawachi M (2014) Eutrophication and the dietary

- promotion of sea turtle tumors. PeerJ 2:e602
- Wabnitz CC, Balazs G, Beavers S, Bjorndal KA, Bolten AB, Christensen V, Hargrove S, Pauly D (2010) Ecosystem structure and processes at Kaloko Honokhau, focusing on the role of herbivores, including the green sea turtle *Chelonia mydas*, in reef resilience. Marine Ecology Progress Series 420:27-44
- Wallace BP, DiMatteo AD, Hurley BJ, Finkbeiner EM, Bolten AB, Chaloupka MY, Hutchinson BJ, Abreu-Grobois FA, Amorocho D, Bjorndal KA, Bourjea J, Bowen BW, Duenas RB, Casale P, Choudhury BC, Costa A, Dutton PH, Fallabrino A, Girard A, Girondot M, Godfrey MH, Hamann M, Lopez-Mendilaharsu M, Marcovaldi MA, Mortimer JA, Musick JA, Nel R, Pilcher NJ, Seminoff JA, Troeng S, Witherington B, Mast RB (2010) Regional management units for marine turtles: a novel framework for prioritizing conservation and research across multiple scales. PLoS One 5:e15465
- Weber SB, Weber N, Ellick J, Avery A, Frauenstein R, Godley BJ, Sim J, Williams N, Broderick AC (2014) Recovery of the South Atlantic's largest green turtle nesting population. Biodiversity and Conservation 23:3005-3018
- Wedemeyer-Strombel KR, Balazs GH, Johnson JB, Peterson TD, Wicksten MK, Plotkin PT (2015) High frequency of occurrence of anthropogenic debris ingestion by sea turtles in the North Pacific Ocean. Marine Biology 162:2079-2091
- Wianecki S (2010) The lure of limu. Maui No Ka 'O'i Magazine. Haynes Publishing Group, Maui
- Wilcox C, Heathcote G, Goldberg J, Gunn R, Peel D, Hardesty BD (2015) Understanding the sources and effects of abandoned, lost, and discarded fishing gear on marine turtles in northern Australia. Conservation Biology 29:198-206
- Witherington B, Hiram S, Hardy R (2012) Young sea turtles of the pelagic *Sargassum*-dominated drift community: habitat use, population density, and threats. Marine Ecology Progress Series 463:1-22
- Work TM, Balazs GH, Summers TM, Hapdei JR, Tagarino AP (2015) Causes of mortality in green turtles from Hawaii and the insular Pacific exclusive of fibropapillomatosis. Diseases of Aquatic Organisms 115:103-110
- World Bank (2015) Population, total (data), <http://data.worldbank.org/indicator/SP.POP.TOTL>
- Wright SJ, Hubbell SP (1983) Stochastic extinction and reserve size: a focal species approach. Oikos: 466-476
- Wusstig S (2012) Haggan: green sea turtle.
- Yang W, Wang Y, Chen M (2015) Genetic structure and diversity of green sea turtle (*Chelonia mydas*) from South China Sea inferred by mtDNA control region sequence. Biochemical Systematics and Ecology 60:95-98