

References Cited in Smooth Hammerhead Shark 12-month Finding

- Abercrombie, D. L., Chapman, D. D., Gulak, S. J. B., & Carlson, J. K. (2013). Visual Identification of Fins from Common Elasmobranchs in the Northwest Atlantic Ocean *NOAA Technical Memorandum* (pp. 51 p.).
- Abercrombie, D. L., Clarke, S. C., & Shivji, M. S. (2005). Global-scale genetic identification of hammerhead sharks: Application to assessment of the international fin trade and law enforcement. *Conservation Genetics*, 6(5), 775-788. doi: 10.1007/s10592-005-9036-2
- Agnew, D. J., Pearce, J., Pramod, G., Peatman, T., Watson, R., Beddington, J. R., & Pitcher, T. J. (2009). Estimating the worldwide extent of illegal fishing. *Plos One*, 4(2), e4570. doi: 10.1371/journal.pone.0004570
- Aguilar, F., Revelo, W., Coelho, D., Cajas, J., Ruiz, W., Diaz, M., & Moreno, J. (2007). Desembarques artesanales de tiburones y rayas en los principales puertos pesqueros del Ecuador durante 2006 *Proceso de Investigación de los Recursos Bioacuáticos y su Ambiente* (pp. 23). Guayaquil: INP.
- Amandè, M. J., Ariz, J., Chassot, E., de Molina, A. D., Gaertner, D., Murua, H., . . . Chavance, P. (2010). Bycatch of the European purse seine tuna fishery in the Atlantic Ocean for the 2003–2007 period. *Aquatic Living Resources*, 23(4), 353-362. doi: 10.1051/alr/2011003
- Amorim, A. F., Della-Fina, N., & Piva-Silva, N. (2011). Hammerheads sharks, *Sphyrna lewini* and *S. zygaena* caught by longliners off southern Brazil, 2007-2008. *Collect. Vol. Sci. Pap. ICCAT*, 66(5).
- Arocha, F., Arocha, O., & Marciano, L. A. (2002). Observed shark bycatch from the Venezuelan tuna and swordfish fishery from 1994 through 2000. *Col.Vol.Sci.Pap. ICCAT*, 54(4), 1123-1131.
- Australian Government. (2014). *Non-Detriment Finding for the export of shark species listed in the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) and harvested from Australian waters: Sphyrna lewini, Sphyrna mokarran, Sphyrna zygaena, Lamna nasus, Carcharhinus longimanus*.
- Baino, R., C. Mancusi, M. B., G. Morey, M. Vacchi, L. Gil de Sola, M. N. Bradai, E., Sperone, A. K., F. Hemida, A. A. Saad, M. Dimech, P. Peristeraki, M. Bariche,, G. Cavlan, S. C., E. De Sabata, L. Castellano, F. Garibaldi, F. Tinti, A. Pais, C. Follasa,, P. Micarelli, F. P., R. Carlucci, A. Soldo, M. Bottaro, D. Cebrian, C. Fortuna, B., Seret, F. F., Alaa El-Far, I. Saygu, E. A. Shakman, A. Bartolí, J. Guallart, D., & Damalas, P. M., G. Notarbartolo di Sciara, R. Cannas, F. Serena. (2012). *The data collection on large cartilaginous fishes in the Mediterranean basin: an update of the MEDLEM database*. Paper presented at the 16th annual conference of European Elasmobranchs Association, Milan, Italy. Powerpoint retrieved from
- BBC. (2015, May 29, 2015). Ecuador seizes huge illegal shark fin haul. *BBC News*. Retrieved from <http://www.bbc.com/news/worldlatinamerica32926068>
- Benítez, H., López, G., Rivera-Téllez, E., & (Comps.). (2015). Taller de Evaluación de Productividad, Susceptibilidad y Manejo de tiburones mexicanos listados en el Apéndice II de la CITES *Informe de Resultados: Comisión Nacional Para el Conocimiento y Uso de la Biodiversidad (CONABIO)*, México, D.F.
- Bester, C. (n.d.). Smooth hammerhead shark. Florida Museum of Natural History. University of Florida; from <https://www.flmnh.ufl.edu/fish/discover/species-profiles/sphyrna-zygaena>
- Bizzarro, J. J., Smith, W. D., Castillo-Geniz, J. L., Ocampo-Torres, A., Marquez-Farias, J. F., & Hueter, R. F. (2009). The seasonal importance of small coastal sharks and rays in the

- artisanal elasmobranch fishery of Sinaloa, Mexico. *Pan-American Journal of Aquatic Sciences*, 4(4), 513-531.
- Blaber, S. J. M., Dichmont, C. M., White, W., Buckworth, R., Sadiyah, L., Iskandar, B., . . . Fahmi. (2009). Elasmobranchs in southern Indonesian fisheries: the fisheries, the status of the stocks and management options. *Reviews in Fish Biology and Fisheries*, 19(3), 367-391. doi: 10.1007/s11160-009-9110-9
- Boddiger, D. (2015, March 19, 2015). Shark fin scandal in Costa Rica has Solís administration on the defensive. *The Tico Times*. Retrieved from <http://www.ticotimes.net/l/shark-fin-scandal-in-costa-rica-has-solis-administration-on-the-defensive>
- Bornatowski, H., Braga, R. R., Abilhoa, V., & Correa, M. F. M. (2014). Feeding ecology and trophic comparisons of six shark species in a coastal ecosystem off southern Brazil. *J Fish Biol*, 85(2), 246-263. doi: 10.1111/jfb.12417
- Bornatowski, H., Costa, L., Robert, M. d. C., & Pina, J. V. d. (2007). Hábitos alimentares de tubarões-martelo jovens, *Sphyrna zygaena* (Carcharhiniformes: Sphyrnidae), no litoral sul do Brasil. [Feeding habits of young smooth hammerhead sharks, *Sphyrna zygaena* (Carcharhiniformes: Sphyrnidae), in the Southern Coast of Brazil]. *Biota Neotropica*, 7(1), 0-0. doi: 10.1590/s1676-06032007000100025
- Braccini, M., Van Rijn, J., & Frick, L. (2012). High post-capture survival for sharks, rays and chimaeras discarded in the main shark fishery of Australia? *Plos One*, 7(2), e32547. doi: 10.1371/journal.pone.0032547
- Buchanan, K., & Sparkes, D. (2015, June 11, 2015). Fishers fined for illegal haul of 3,200 shark fins. *ABC Rural*. Retrieved from <http://www.abc.net.au/news/rural/>
- Buencuerpo, V., Rios, S., & Moron, J. (1998). Pelagic sharks associated with the swordfish, *Xiphias gladius*, fishery in the eastern North Atlantic Ocean and the Strait of Gibraltar. *Fishery Bulletin*, 96(4), 667-685.
- Cabanilla, C., & Fierro, C. (2010). Informe pesquero Abril 2010: Desembarque de tiburones *Proceso IRBA*: Instituto Nacional de Pesca.
- Cartamil, D., Santana-Morales, O., Escobedo-Olvera, M., Kacev, D., Castillo-Geniz, L., Graham, J. B., . . . Sosa-Nishizaki, O. (2011). The artisanal elasmobranch fishery of the Pacific coast of Baja California, Mexico. *Fisheries Research*, 108(2-3), 393-403. doi: 10.1016/j.fishres.2011.01.020
- Castro, J. A., & Mejuto, J. (1995). Reproductive parameters of blue shark, *Prionace glauca*, and other sharks in the Gulf of Guinea. *Marine and Freshwater Research*, 46(6), 967-973. doi: 10.1071/mf9950967
- Celona, A., & Maddalena, A. D. (2005). Occurrence of hammerhead sharks (chondrichthyes: sphyrnidae) in waters off silicy (central mediterranean): historical and recent data. *Annales Ser. hist. nat.*, 15(1), 57-64.
- Chin, A., Kyne, P. M., Walker, T. I., & McAuley, R. B. (2010). An integrated risk assessment for climate change: analysing the vulnerability of sharks and rays on Australia's Great Barrier Reef. *Global Change Biology*, 16(7), 1936-1953. doi: 10.1111/j.1365-2486.2009.02128.x
- CITES. (2013). Consideration of proposals for amendment of Appendices I and II (CoP16 Prop. 43).
- Clarke, S. (2013). *Towards an Integrated Shark Conservation and Management Measure for the Western and Central Pacific Ocean*. Paper presented at the Western and Central Pacific Fisheries Commission Scientific Committee Ninth Regular Session, Pohnpei, Federated

States of Micronesia.

- Clarke, S., & IOTC Secretariat. (2014). Issues for T-RFMOS in relation to the listing of shark and ray species by the CITES with particular reference to the Indian Ocean Tuna Commission: IOTC.
- Clarke, S. C., Coelho, R., Francis, M., Kai, M., Kohin, S., Liu, K.-M., . . . Smart, J. (2015). Pacific Shark Life History Expert Panel Workshop: Final Report. *WCPFC-SC11-2015/EB-IP-13*.
- Clarke, S. C., Magnussen, J. E., Abercrombie, D. L., McAllister, M. K., & Shivji, M. S. (2006). Identification of shark species composition and proportion in the Hong Kong shark fin market based on molecular genetics and trade records. *Conserv Biol*, *20*(1), 201-211. doi: 10.1111/j.1523-1739.2006.00247.x
- Clarke, S. C., McAllister, M. K., Milner-Gulland, E. J., Kirkwood, G. P., Michielsens, C. G., Agnew, D. J., . . . Shivji, M. S. (2006). Global estimates of shark catches using trade records from commercial markets. *Ecol Lett*, *9*(10), 1115-1126. doi: 10.1111/j.1461-0248.2006.00968.x
- Cliff, G., & Dudley, S. F. J. (1992). Protection against Shark Attack in South-Africa, 1952-90. *Australian Journal of Marine and Freshwater Research*, *43*(1), 263-272.
- Coelho, R., Fernandez-Carvalho, J., Amorim, S., & Santos, M. N. (2011). Age and growth of the smooth hammerhead shark, *Sphyrna zygaena*, in the Eastern Equatorial Atlantic Ocean, using vertebral sections. *Aquatic Living Resources*, *24*(4), 351-357. doi: 10.1051/alr/2011145
- Coelho, R., Fernandez-Carvalho, J., Lino, P. G., & Santos, M. N. (2012). An overview of the hooking mortality of elasmobranchs caught in a swordfish pelagic longline fishery in the Atlantic Ocean. *Aquatic Living Resources*, *25*(4), 311-319. doi: 10.1051/alr/2012030
- Commonwealth of Australia. (2015). *Assessment of the Western Australian Temperate Demersal Gillnet and Demersal Longline Fisheries*.
- Compagno, L. J. V. (1984). Vol. 4, Part 2 Sharks of the World an annotated and illustrated catalogue of shark species known to date. *FAO*.
- Cortés, E. (1999). Standardized diet compositions and trophic levels of sharks. *Ices Journal of Marine Science*, *56*(5), 707-717. doi: DOI 10.1006/jmsc.1999.0489
- Cortés, E., Domingo, A., Miller, P., Forselledo, R., Mas, F., Arocha, F., . . . Yokawa, K. (2012). Expanded ecological risk assessment of pelagic sharks caught in Atlantic pelagic longline fisheries. *Collect. Vol. Sci. Pap. ICCAT*, *71*(6), 2637-2688.
- Costa, L., & Chaves, P. d. T. d. C. (2006). Elasmobrânquios capturados pela pesca artesanal na costa sul do Paraná e norte de Santa Catarina, Brasil. [Elasmobranchs caught by artisanal fishing in the south cost of Parana State and north cost of Santa Catarina State, Brazil]. *Biota Neotropica*, *6*(3), 0-0. doi: 10.1590/s1676-06032006000300007
- Da Silva, C., & Burgener, M. (2007). South Africa's demersal shark meat harvest. *TRAFFIC Bulletin*, *12*(2).
- Dai, X. J., Zheng, Y., Jiang, R. L., & Xu, L. X. (2009). Shark by-catch observation in ICCAT waters by Chinese longline observations in 2007. *Collect. Vol. Sci. Pap. ICCAT*, *64*(5).
- Dapp, D., Arauz, R., Spotila, J. R., & O'Connor, M. P. (2013). Impact of Costa Rican longline fishery on its bycatch of sharks, stingrays, bony fish and olive ridley turtles (*Lepidochelys olivacea*). *Journal of Experimental Marine Biology and Ecology*, *448*, 228-239. doi: 10.1016/j.jembe.2013.07.014
- Dent, F., & Clarke, S. (2015). State of the global market for shark products. In FAO (Ed.), *FAO*

- Fisheries and Aquaculture Technical Paper* (pp. 187). Rome.
- Dia, A. D., Wagne, O. H., Kidé, S. O., Abdel Hamid, M. L., Meissa, B., & Diop, M. (2012). Plan d'action National pour la conservation et la gestion des populations de requins en Mauritanie: Volet recherche: IMROP CSRP/SRFC.
- Diemer, K. M., Mann, B. Q., & Hussey, N. E. (2011). Distribution and movement of scalloped hammerhead *Sphyrna lewini* and smooth hammerhead *Sphyrna zygaena* sharks along the east coast of southern Africa. *African Journal of Marine Science*, 33(2), 229-238. doi: 10.2989/1814232x.2011.600291
- Doukakis, P., Hanner, R., Shivji, M., Bartholomew, C., Chapman, D., Wong, E., & Amato, G. (2011). Applying genetic techniques to study remote shark fisheries in northeastern Madagascar. *Mitochondrial DNA*, 22 Suppl 1, 15-20. doi: 10.3109/19401736.2010.526112
- Dudley, S. F. J., & Simpfendorfer, C. A. (2006). Population status of 14 shark species caught in the protective gillnets off KwaZulu-Natal beaches, South Africa, 1978-2003. *Marine and Freshwater Research*, 57(2), 225-240. doi: 10.1071/MF05156
- Duncan, K.M., Martin, A.P., Bowen, B.W., & de Couet, H.G. (2006). Global phylogeography of the scalloped hammerhead shark (*S. lewini*). *Molecular Ecology* 15: 2239-2251.
- Ebert, D. A., Fowler, S., & Compagno, L. J. V. (2013). Sharks of the world (pp. 528): Wild Nature Press.
- Eriksson, H., & Clarke, S. (2015). Chinese market responses to overexploitation of sharks and sea cucumbers. *Biological Conservation*, 184, 163-173. doi: 10.1016/j.biocon.2015.01.018
- Escobar-Sanchez, O., Galvan-Magana, F., & Rosiles-Martinez, R. (2010). Mercury and Selenium Bioaccumulation in the Smooth Hammerhead Shark, *Sphyrna zygaena* Linnaeus, from the Mexican Pacific Ocean. *Bulletin of Environmental Contamination and Toxicology*, 84(4), 488-491. doi: 10.1007/s00128-010-9966-3
- European Commission. (2014). Report from the Commission to the European Parliament and the Council on Member States' efforts during 2012 to achieve a sustainable balance between fishing capacity and fishing opportunities. Brussels.
- Evans, R., & Molony, B. W. (2010). Ranked Risk Assessment for Bycatch in Multiple Fisheries: a Bioregional Risk Assessment Method *Fisheries Research Report* (pp. 88). Western Australia: Department of Fisheries.
- Fernandez-Carvalho, J., Coelho, R., Santos, M. N., & Amorim, S. (2015). Effects of hook and bait in a tropical northeast Atlantic pelagic longline fishery: Part II—Target, bycatch and discard fishes. *Fisheries Research*, 164, 312-321. doi: 10.1016/j.fishres.2014.11.009
- Ferretti, F., Myers, R. A., Serena, F., & Lotze, H. K. (2008). Loss of large predatory sharks from the Mediterranean Sea. *Conserv Biol*, 22(4), 952-964. doi: 10.1111/j.1523-1739.2008.00938.x
- Fischer, J., Erikstein, K., D'Offay, B., Guggisberg, S., & Barone, M. (2012). Review of the Implementation of the International Plan of Action for the Conservation and Management of Sharks *FAO Fisheries and Aquaculture Circular* (pp. 120). Rome: FAO.
- Fisheries Agency of Chinese Taipei. (2015). *National Report: Tuna Fisheries Status Report of Chinese Taipei in the Western and Central Pacific Region*. Paper presented at the WCPFC Scientific Committee Eleventh Regular Session, Pohnpei, Federated States of Micronesia.
- Fisheries Agency of Japan. (2011). *Japan's Report on Trade in Shark Species and*

- Implementation of the National Action Plan for Conservation and Management of Sharks*. Paper presented at the CITES: Twenty-fifth meeting of the Animals Committee. Fisheries Agency of Japan. (2015). *NDF Guidelines for Aquatic Species*. Paper presented at the CITES: Twenty-eighth meeting of the Animals Committee, Tel Aviv, Israel.
- Fisheries and Oceans Canada. (2010). Aquatic Species Details for Hammerhead Shark.
- Flewelling, L. J., Adams, D. H., Naar, J. P., Atwood, K. E., Granholm, A. A., O’Dea, S. N., & Landsberg, J. H. (2010). Brevetoxins in sharks and rays (Chondrichthyes, Elasmobranchii) from Florida coastal waters. *Mar Biol*, 157(9), 1937-1953. doi: 10.1007/s00227-010-1463-z
- Francis, M. P., & Shallard, B. (1998). 18: New Zealand shark fishery management Case studies of the management of elasmobranch fisheries. Part 2: Fishery and Aquaculture Economics and Policy Division; FAO.
- Galvan-Magana, F., Polo-Silva, C., Berenice Hernandez-Aguilar, S., Sandoval-Londono, A., Ruth Ochoa-Diaz, M., Aguilar-Castro, N., . . . Andres Abitia-Cardenas, L. (2013). Shark predation on cephalopods in the Mexican and Ecuadorian Pacific Ocean. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 95, 52-62. doi: 10.1016/j.dsr2.2013.04.002
- García-Hernández, J., Cadena-Cárdenas, L., Betancourt-Lozano, M., García-De-La-Parra, L. M., García-Rico, L., & Márquez-Farías, F. (2007). Total mercury content found in edible tissues of top predator fish from the Gulf of California, Mexico. *Toxicological & Environmental Chemistry*, 89(3), 507-522. doi: 10.1080/02772240601165594
- Gonzalez-Pestana, A., Kouri J, C., & Velez-Zuazo, X. (2014). Shark fisheries in the Southeast Pacific: A 61-year analysis from Peru. *F1000Research*. doi: 10.12688/f1000research.4412.1
- Government of Western Australia. (2015). *Application to the Department of the Environment Western Australia's Temperate Demersal Gillnet and Demersal Longline Fisheries*. Perth, Western Australia.
- Hall, M., & Roman, M. (2013). Bycatch and non-tuna catch in the tropical tuna purse seine fisheries of the world. In F. A. A. O. O. T. U. NATIONS (Ed.), *FAO FISHERIES AND AQUACULTURE TECHNICAL PAPER* (pp. 262). Rome.
- Hayes, C. (2007). *Investigating single and multiple species fisheries management: stock status evaluation of hammerhead (Sphyrna spp.) sharks in the western North Atlantic Ocean and Gulf of Mexico*. Master of Science Thesis. Fisheries and Wildlife Sciences; Virginia Polytechnic Institute and State University.
- Hayes, C. G., Jiao, Y., & Cortés, E. (2009). Stock Assessment of Scalloped Hammerheads in the Western North Atlantic Ocean and Gulf of Mexico. *North American Journal of Fisheries Management*, 29(5), 1406-1417. doi: 10.1577/m08-026.1
- Hewapathirana, H. P. K., Maldeniya, R., & Perera, U. L. K. (2015). [Sri Lanka] National Report to the Scientific Committee of the Indian Ocean Tuna Commission, 2015.
- High Seas Task Force. (2006). Closing the net: Stopping illegal fishing on the high seas (pp. 116): Governments of Australia, Canada, Chile, Namibia, New Zealand, and the United Kingdom, WWF, IUCN and the Earth Institute at Columbia University.
- Huang, H.-W., & Liu, K.-M. (2010). Bycatch and discards by Taiwanese large-scale tuna longline fleets in the Indian Ocean. *Fisheries Research*, 106(3), 261-270. doi: 10.1016/j.fishres.2010.08.005
- IATTC. (2015). *Meeting Report*. Paper presented at the Inter-American Tropical Tuna

- Commission Scientific Advisory Committee Sixth Meeting, La Jolla, California.
- Instituto del Mar del Peru. (2014). Reporte Trimestral de las estadísticas pesqueras artesanales.
- Instituto Nacional de la Pesca. (2006). Sustentabilidad y Pesca Responsable en México, Evaluación y Manejo. In J. Cuellar & C. O. Cadena (Eds.), (pp. 560). Mexico: INP.
- IOTC. (2015). *Status of the Indian Ocean Scalloped Hammerhead Shark (SPL: Sphyrna lewini)*. Paper presented at the IOTC SC18.
- Jabado, R. W., Al Ghais, S. M., Hamza, W., Henderson, A. C., Spaet, J. L. Y., Shivji, M. S., & Hanner, R. H. (2015). The trade in sharks and their products in the United Arab Emirates. *Biological Conservation*, 181, 190-198. doi: 10.1016/j.biocon.2014.10.032
- Jayathilaka, R. A. M., & Maldeniya, R. (2015). *Impact of policies on the conservation of sharks in the large pelagic fishery*. Paper presented at the WPEB-IOTC.
- Jiao, Y., Cortes, E., Andrews, K., & Guo, F. (2011). Poor-data and data-poor species stock assessment using a Bayesian hierarchical approach. *Ecological Applications*, 21(7), 2691-2708.
- John, M. E., & Varghese, B. C. (2009). Decline in CPUE of Oceanic Sharks in the Indian EEZ: Urgent Need for Precautionary Approach. *IOTC-2009-WPEB-17*.
- Kiszka, J. J. (2012). *An Ecological Risk Assessment (ERA) for marine mammals, sea turtles and elasmobranchs captured in artisanal fisheries of the SW Indian Ocean based on interview survey data*. Paper presented at the WPEB-IOTC.
- Knoff, M., de Sao Clemente, S. C., Pinto, R. M., & Gomes, D. C. (2001). Nematodes of elasmobranch fishes from the Southern Coast of Brazil. *Memorias Do Instituto Oswaldo Cruz*, 96(1), 81-87. doi: 10.1590/s0074-02762001000100009
- Kohler, N. E., Casey, J. G., & Turner, P. A. (1998). NMFS Cooperative shark tagging program, 1962-93: An atlas of shark tag and recapture data. *Marine Fisheries Review*, 60(2).
- Kohler, N. E., & Turner, P. A. (2001). Shark tagging: a review of conventional methods and studies. *Environmental Biology of Fishes*, 60, 191-223.
- Kotas, J. E., dos Santos, S., de Azevedo, V. G., de Lima, J. H. M., Neto, J. D., & Lin, C. F. (2000). Observations on shark by-catch in the monofilament longline fishery off southern Brazil and the national ban on finning.
- Kyalo, K. B., & Stephen, N. (2013). Shark bycatch - small scale tuna fishery interactions along the Kenyan coast. *IOTC-2013-WPEB09-13*.
- Lack, M., Sant, G., Burgener, M., & Okes, N. (2014). Development of a rapid management-risk assessment method for fish species through its application to sharks: framework and results. (D. f. E. F. R. Affairs, Trans.) (pp. 1-108): TRAFFIC.
- Lee, H. K., Kim, S. J., Jeong, Y., Lee, S., Jeong, W., Lee, W. C., . . . Moon, H. B. (2015). Polybrominated diphenyl ethers in thirteen shark species from offshore and coastal waters of Korea. *Mar Pollut Bull*, 95(1), 374-379. doi: 10.1016/j.marpolbul.2015.04.018
- Liu, K.-M., & Tsai, W.-P. (2011). *Catch and life history parameters of pelagic sharks in the Northwestern Pacific*. Paper presented at the ISC Shark Working Group Workshop, Keelung, Chinese Taipei.
- Macbeth, W. G., Geraghty, P. T., Peddemors, V. M., & Gray, C. A. (2009). Observer-based study of targeted commercial fishing for large shark species in waters off northern New South Wales *Fisheries Final Report Series*. Cronulla, NSW.
- Marsico, E. T., Machado, M. E. S., Knoff, M., & Clemente, S. C. S. (2007). Total mercury in sharks along the southern Brazilian Coast. *Arquivo Brasileiro De Medicina Veterinaria E Zootecnia*, 59(6), 1593-1596. doi: 10.1590/s0102-09352007000600039

- Masunaga, G., Kosuge, T., Asai, N., & Ota, H. (2009). Shark predation of sea snakes (Reptilia: Elapidae) in the shallow waters around the Yaeyama Islands of the southern Ryukyus, Japan. *Marine Biodiversity Records*, 1. doi: 10.1017/s1755267207009700
- Matsushita, Y., & Matsunaga, H. (2002). Species composition and CPUE of pelagic sharks observed by Japanese observers for tuna longline fisheries in the Atlantic Ocean. *Col. Vol. Sci. Pap. ICCAT*, 54(4), 1371-1380.
- Maz-Courrau, A., Lopez-Vera, C., Galvan-Magana, F., Escobar-Sanchez, O., Rosiles-Martinez, R., & Sanjuan-Munoz, A. (2012). Bioaccumulation and Biomagnification of Total Mercury in Four Exploited Shark Species in the Baja California Peninsula, Mexico. *Bulletin of Environmental Contamination and Toxicology*, 88(2), 129-134. doi: 10.1007/s00128-011-0499-1
- McAuley, R., & Simpfendorfer, C. (2003). Catch composition of the Western Australian temperate demersal gillnet and demersal longline fisheries, 1994 to 1999 *Fisheries Research Report* (pp. 78). Western Australia: Department of Fisheries.
- McVean, A. R., Walker, R. C. J., & Fanning, E. (2006). The traditional shark fisheries of southwest Madagascar: A study in the Toliara region. *Fisheries Research*, 82(1-3), 280-289. doi: 10.1016/j.fishres.2006.06.016
- Megalofonou, P., Yannopoulos, C., Damalas, D., De Metrio, G., Deflorio, M., & de la Serna, J. M. (2005). Incidental catch and estimated discards of pelagic sharks from the swordfish and tuna fisheries in the Mediterranean Sea. *Fishery Bulletin*, 103(4), 620-634.
- Miller, M. H. (2016). Endangered Species Act Status Review Report: Smooth Hammerhead Shark (*Sphyrna zygaena*) *Report to National Marine Fisheries Service, Office of Protected Resources*. Silver Spring, MD.
- Miller, M. H., Carlson, J., Cooper, P., Kobayashi, D., Nammack, M., & Wilson, J. (2014). Status review report: scalloped hammerhead shark (*Sphyrna lewini*). Final Report to the National Marine Fisheries Service (pp. 133). Silver Spring, MD: OPR/NMFS/NOAA.
- Miller, M. H., Carlson, J., Hogan, L., & Kobayashi, D. (2014). Status review report: great hammerhead shark (*Sphyrna mokarran*). Final Report to the National Marine Fisheries Service (pp. 116). Silver Spring, MD: OPR/NMFS/NOAA.
- Murias, A. (2015). Authorisation to Export Shark Fins Cancelled [Press release]. Retrieved from <http://www.projectaware.org/update/authorisation-export-shark-fins-cancelled>
- Murua, H., Abascal, F. J., Amande, J., Ariz, J., Bach, P., Chavance, P., . . . Seret, B. (2013). Provision of scientific advice for the purpose of the implementation of the EUPOA sharks. Final Report.: European Commission, Studies for Carrying out the Common Fisheries Policy.
- Musick, J. A. (1999). Criteria to define extinction risk in marine fishes - The American Fisheries Society initiative. *Fisheries*, 24(12), 6-14. doi: Doi 10.1577/1548-8446(1999)024<0006:Ctderi>2.0.Co;2
- Nair, R. V., & James, D. B. (1971). On the occurrence of sting-ray spines in the jaws and gills of the hammerhead sharks *Sphyrna zygaena* (Linnaeus) *JOURNAL. BOMBAY NATURAL Hist. Society.*, 69(2), 432-434.
- Nava Nava, P., & Fernando Marquez-Farias, J. (2014). Size at maturity of the smooth hammerhead shark, *Sphyrna zygaena*, captured in the Gulf of California. *Hidrobiologica*, 24(2), 129-135.
- Naylor, G. J. P., Caira, J. N., Jensen, K., Rosana, K. A. M., White, W. T., & Last, P. R. (2012). A DNA Sequence-Based Approach to the Identification of Shark and Ray Species and Its

- Implications for Global Elasmobranch Diversity and Parasitology. *Bulletin of the American Museum of Natural History*, 367(367), 1-262.
- News24. (2015, September 19, 2015). Taiwan boat caught with huge illegal shark fin haul *News24*. Retrieved from <http://www.news24.com/Green/News/Taiwanboatcaughtwithhugeillegalsharkfinhaul20150919>
- NMFS. (2011). U.S. National Bycatch Report. In W. A. Karp, L. L. Desfosse & S. G. Brooke (Eds.), *NOAA Tech. Memo* (pp. 508): U.S. Department of Commerce, NOAA, NMFS.
- NMFS. (2013a). Atlantic Highly Migratory Species Stock Assessment and Fishery Evaluation (SAFE) Report 2013. In A. H. M. S. M. Division (Ed.), *SAFE Reports*: U.S. Department of Commerce.
- NMFS. (2013b). U.S. National Bycatch Report First Edition Update 1. In L. R. Benaka, C. Rilling, E. E. Seney & H. Winarsoo (Eds.), (pp. 57): U.S. Department of Commerce.
- NMFS. (2014a). 2014 Shark Finning Report to Congress: U.S. Department of Commerce, NOAA, NMFS.
- NMFS. (2014b). 2014 Stock Assessment and Fishery Evaluation (SAFE) Report for Atlantic Highly Migratory Species. In A. H. M. S. M. Division (Ed.): U.S. Department of Commerce.
- NMFS. (2015a). 2015 Stock Assessment and Fishery Evaluation (SAFE) Report for Atlantic Highly Migratory Species. In A. H. M. S. M. Division (Ed.), (pp. 185). Silver Spring, MD: NOAA Fisheries, U.S. Department of Commerce.
- NMFS. (2015b). *Guidance on Responding to Petitions and Conducting Status Reviews under the Endangered Species Act*. Silver Spring, MD.
- NMFS. (2015c). *Improving International Fisheries Management Report to Congress Pursuant to Section 403(a) of the Magnuson-Stevens Fishery Conservation and Management Reauthorization Act of 2006* Washington, D.C.: U.S. Department of Commerce, NOAA.
- NMFS. (2015d). NOAA to work with 6 nations to address illegal, unreported, and unregulated fishing. Retrieved March 10, 2016, from http://www.nmfs.noaa.gov/ia/slider_stories/2015/02/IUU%20report/2015_iuu_report.html
- Novianto, D., Rochman, F., & Nugraha, B. (2014). *Species composition, CPUE and length frequency of oceanic sharks based on observer data from the Indonesian longline fishery in the Indian Ocean*. Paper presented at the WPEB-IOTC.
- NSW Department of Primary Industries. (2015). Shark Meshing (Bather Protection) Program 2014-15 Annual Performance Report. In T. Daly & V. Peddemors (Eds.).
- Paul, M. C., Toia, R. F., & von Nagy-Felsobuki, E. I. (2003). A novel method for the determination of mercury and selenium in shark tissue using high-resolution inductively coupled plasma-mass spectrometry. *Spectrochimica Acta Part B: Atomic Spectroscopy*, 58(9), 1687-1697. doi: 10.1016/s0584-8547(03)00143-5
- Pérez-Jiménez, J. C., Sosa-Nishizaki, O., Furlong-Estrada, E., Corro-Espinosa, D., Venegas-Herrera, A., & Barragán-Cuencas, O. V. (2005). Artisanal Shark Fishery at "Tres Marias" Islands and Isabel Island in the Central Mexican Pacific. *Journal of Northwest Atlantic Fishery Science*, 35, 333-343. doi: 10.2960/J.v35.m489
- Petersen, S., Nel, D., & Omardien, A. (2007). Towards an ecosystem approach to longline fisheries in the benguela. *WWF South Africa Report Series*.
- PEW Environment Group. (2012). *Navigating Global Shark Conservation: Current Measures and*

- Gaps (pp. 29). Washington, D.C.: PEW Environment Group.
- Reid, D. D., & Krogh, M. (1992). Assessment of Catches from Protective Shark Meshing Off New-South-Wales Beaches between 1950 and 1990. *Australian Journal of Marine and Freshwater Research*, 43(1), 283-296.
- Reid, D. D., Robbins, W. D., & Peddemors, V. M. (2011). Decadal trends in shark catches and effort from the New South Wales, Australia, Shark Meshing Program 1950-2010. *Marine and Freshwater Research*, 62(6), 676-693. doi: 10.1071/MF10162
- Robinson, L., & Sauer, W. (2011). A Preliminary Assessment of the Artisanal Shark Fishery in Northern Madagascar. In D. Obura & M. Samoilys (Eds.), *CORDIO Status Report 2011* (pp. 1-10): CORDIO East Africa.
- Rogers, P. J., Huveneers, C., Page, B., Hamer, D. J., Goldsworthy, S. D., Mitchell, J. G., & Seuront, L. (2012). A quantitative comparison of the diets of sympatric pelagic sharks in gulf and shelf ecosystems off southern Australia. *Ices Journal of Marine Science*, 69(8), 1382-1393. doi: 10.1093/icesjms/fss100
- Román-Verdesoto, M. (2015). *Updated summary regarding hammerhead sharks caught in the tuna fisheries in the Eastern Pacific Ocean*. Paper presented at the 6th Meeting of the Scientific Advisory Committee IATTC, La Jolla, CA (USA). Power Point Presentation retrieved from
- Román-Verdesoto, M., & Hall, M. (2014). *Updated summary regarding hammerhead sharks caught in the tuna fisheries in the Eastern Pacific Ocean*. Paper presented at the Inter-American Tropical Tuna Commission Scientific Advisory Committee Fifth Meeting, La Jolla, California.
- Sadowsky, V. (1965). The hammerhead sharks of the littoral zone of Sao Paulo, Brazil, with the description of a new species. *Bulletin of Marine Science*, 15(1).
- Sembiring, A., Pertiwi, N. P. D., Mahardini, A., Wulandari, R., Kurniasih, E. M., Kuncoro, A. W., . . . Mahardika, G. N. (2015). DNA barcoding reveals targeted fisheries for endangered sharks in Indonesia. *Fisheries Research*, 164, 130-134. doi: 10.1016/j.fishres.2014.11.003
- Simpfendorfer, C. (2014). Information for the development of Non Detriment Findings for CITES listed sharks (pp. 39): Report to the Department of the Environment.
- SL-NPOA-Sharks. (2013). *Sri Lanka National Plan of Action for the conservation and management of sharks*. Sri Lanka.
- Storelli, M. M., Ceci, E., Storelli, A., & Marcotrigiano, G. O. (2003). Polychlorinated biphenyl, heavy metal and methylmercury residues in hammerhead sharks: contaminant status and assessment. *Mar Pollut Bull*, 46(8), 1035-1039. doi: 10.1016/s0025-326x(03)00119-x
- Sucunza, F., Doria, E., Alves, L. C. P. d. S., do Prado, J. H. F., Ferreira, E., Andriolo, A., & Danilewicz, D. (2015). Observations of antipredator tactics among pantropical spotted dolphins (*Stenella attenuata*) attacked by smooth hammerhead sharks (*Sphyrna zygaena*). *Marine Mammal Science*, 31(2), 748-755. doi: 10.1111/mms.12169
- SWFSC. (2015). Tagged Hammerhead Shark Travels Widely In Warm Pacific Waters [Press release]. Retrieved from <https://swfsc.noaa.gov/news.aspx?ParentMenuId=39&id=20903>
- Taniuchi, T. (1974). Three species of hammerhead sharks in the southwestern waters of Japan. *Japanese Journal of Ichthyology*, 21(3), 145-152.
- Testerman, C. B. (2014). *Molecular Ecology of Globally Distributed Sharks*. (Doctorate of Philosophy), Nova Southeastern University. Retrieved from http://nsuworks.nova.edu/occ_stuetd/6

- Todorova, V. (2014, March 1, 2016). UAE ruling on fishing and sale of sharks welcomed by conservationists. *The National*. Retrieved from <http://www.thenational.ae/>
- Uosaki, K., Minami, H., Matsunaga, H., Satoh, K., Senba, Y., Matsumoto, T., & Akatsuka, Y. (2015). *Annual Report to the Commission Part 1: Information on fisheries, research and statistics; National Tuna Fisheries Report of Japan*. Paper presented at the SCIENTIFIC COMMITTEE ELEVENTH REGULAR SESSION, Pohnpei, Federated States of Micronesia.
- Varghese, S., Somvanshi, V. S., & Varghese, S. P. (2007). By-catch of sharks and incidental catches of sea turtle in the long line fishery of Indian waters as observed during tuna resources survey. *IOTC-2007-WPEB-13*.
- Visser, I. N. (2005). First Observations of Feeding on Thresher (<I>Alopias vulpinus</I> and Hammerhead (<I>Sphyrna zygaena</I> Sharks by Killer Whales (<I>Orcinus orca</I> Specialising on Elasmobranch Prey. *Aquatic Mammals*, 31(1), 83-88. doi: 10.1578/am.31.1.2005.83
- Vooren, C. M., & Klippel, S. (Eds.). (2005). *Ações para a conservação de tubarões e raias no sul do Brasil*. Porto Alegre, Brazil: Instituto Igaré.
- Walsh, W. A., Bigelow, K. A., & Sender, K. L. (2009). Decreases in Shark Catches and Mortality in the Hawaii-Based Longline Fishery as Documented by Fishery Observers. *Marine and Coastal Fisheries*, 1(1), 270-282. doi: 10.1577/c09-003.1
- Whitcraft, S., Hofford, A., Hilton, P., O'Malley, M., Jaiteh, V., & Knights, P. (2014). Evidence of Declines in Shark Fin Demand, China (pp. 21). San Francisco, CA: WildAid.
- White, W. T., Last, P. R., Stevens, J. D., Yearsley, G. K., Fahmi, & Dharmadi. (2006). Economically Important Sharks & Rays of Indonesia *ACIAR monograph* Canberra, Australia: Australian Centre for International Agricultural Research.
- Whoriskey, S., Arauz, R., & Baum, J. K. (2011). Potential impacts of emerging mahi-mahi fisheries on sea turtle and elasmobranch bycatch species. *Biological Conservation*, 144(6), 1841-1849. doi: 10.1016/j.biocon.2011.03.021
- Williamson, J. (2011). Proposed Determination: The Scalloped Hammerhead – *Sphyrna lewini* as an Endangered Species. In F. S. Committee (Ed.).
- Zeeberg, J., Corten, A., & de Graaf, E. (2006). Bycatch and release of pelagic megafauna in industrial trawler fisheries off Northwest Africa. *Fisheries Research*, 78(2-3), 186-195. doi: 10.1016/j.fishres.2006.01.012