9.0 REFERENCES

Beckett, J. S.
1971. Canadian swordfish longline fishery. Int. Comm. Conserv. Atl. Tunas. Collect. Vol. Sci. Pap. (SCRS-1971) 71/36, 7 p.

1974. Biology of swordfish, Xiphias gladius L., in the Northwest Atlantic Ocean. In R. S. Shomura and F. Williams (editors), Proceedings of the International Billfish Symposium, Kailua-Kona, Hawaii, U.S., 9-12 August 1972. Part 2. Review and Contributing Papers, U. S. Dep. Commer., NOAA Tech. Rep. NMFS SSRF 675, p. 103-106.

Beckett, J. S. and S. N. Tibbo
1968. Recent changes in size composition of Canadian Atlantic swordfish catches. International Comm. Northwest Atl. Fish. Redbook 1968-III (ICNAF Res. Doc. 68/69) p. 62-66.

Bedford, D. W. and F. B. Hagerman
1983. The Billfish fishery resource of the California Current. CalCOFI Rep., Vol. XXIV pp 70-78.

Berkeley, S. A., and E. D. Houde
1980. Swordfish, Xiphias gladius, dynamics in the Straits of Florida. ICES C.M.1980/H:59, 11 p.

1981. Population parameter estimates and catch-effort statistics in the broadbill swordfish (Xiphias gladius) fishery of the Florida Straits. ICES C.M.1981/H:35, 14 p.

1983. Age determination of broadbill swordfish, Xiphias gladius, from the Straits of Florida, using anal fin spine sections. IN Proceedings of the International Workshop on Age Determination of Oceanic Pelagic Fishes - Tunas, Billfishes, and Sharks. Prince and Pulos ed. NOAA Tech. Rep. NMFS 8, 211 p.

Berkeley, S. A., and E. W. Irby, Jr.
1982. Analysis of catch, effort and landing data in the swordfish longline fishery of the Florida Straits. ICES C.M. 1982/H:53, 12 p.

Berkeley, S. A., E. W. Irby, Jr. and J. W. Jolley, Jr.
1981. Florida's commercial swordfish fishery: Longline gear and methods. Univ. Miami Sea Grant Program, Mar. Advis. Bull. MAP-14, 23 p.

Beverton, R. J. H. and S. J. Holt
1956. A review of methods for estimating mortality rates in exploited fish populations, with special reference to sources of bias in catch sampling. Rapp. P-V. Reun. Cons. Perm. Int. Explor. Mer, 140: 67-83

Bigelow, H. B. and W. C. Schroeder
1953. Fishes of the Gulf of Maine. U. S. Fish. Wildl. Serv., Fish. Bull. 53: 351-357

Blackburn, M.
1969. Conditions related to upwelling which determine distribution of tropical tunas off western Baja California. Fish. Bull., U.S. 68:147-176.

Caddy, J. F.
1976. A review of some factors relevant to management of swordfish fisheries in the northwest Atlantic. Can. Fish. Mar. Serv. Tech. Rep. 633, 36 p.

Cailliet, G. M. and D. W. Bedford.
1983. The Biology of three pelagic sharks from California Waters, and their emerging fisheries: a review. CalCOFI Rep., Vol. XXIV pp 57-69.

Carey, F. C., and B. H. Robison
1981. Daily patterns in the activities of swordfish, Xiphias gladius, observed by acoustic telemetry. Fish. Bull., U. S. 79:277-292.

Casey, J. G. and J. M. Hoenig
1977. Apex predators in Deepwater Dumpsite 106. In: NOAA Dumpsite Evaluation Report 77-1, Baseline report of Environmental Conditions in Deepwater Dumpsite 106. U. S. Dept. of Comm., NOAA Nat. Ocean. Surv., Rockville, MD.

Casey, J. G., H. W. Pratt and C. Stillwell
1982. The Shark Tagger Newsletter. Newsletter of the Cooperative Shark Tagging Program. U. S. Dept. Comm., NOAA, NMFS, NEFC Narragansett, R.I. 02882

1983. The Shark Tagger Newsletter. Newsletter of the Cooperative Shark Tagging Program. U. S. Dept. Comm., NOAA, NMFS, NEFC Narragansett, R.I. 02882

Clark, J. W., R. B. Lawrence, and G. Flimlin.
1983. Satellite observed oceanographic analyses and sea surface thermal analyses. NOAA, NESS, National Weather Service publication.

Conover, W. J., and R. L. Iman
1981. Rank transformations as a bridge between parametric and nonparametric statistics. Am. Stat. 35(3):124-129.

FAO
Yearbook of Fishery Statistics. Food and Agriculture Organization, Various years.

Fabens, A. J.
1965. Properties and fitting of the von Bertalanffy growth curve. Growth 29:265-289.

Farber, M. I. and R. J. Conser
1983. Swordfish indices of abundance from the Japanese longline fishery data for various areas of the Atlantic Ocean. Int. Comm. Conserv. Atl. Tunas. Coll. Vol. Sci. Pap. 18(3):629-644

Figley, B., D. Long, and G. Newcomb
1983. New Jersey's recreational canyon fishery 1982. N. J. Dept. Environ. Protection. Div. of Fish, Game, & Wildlife. Nacote Creek Marine Fisheries Lab. Route 9, Absecon, N.J. 08201 - Information Series 83-1.

Garces, A. G., and J. C. Rey
1983. La Pesqueria Espanola Del Pez Espada, Xiphias gladius, 1973-1981. Int. Comm. Conserv. Atl. Tunas. Collect. Vol. Sci. Pap. (SCRS-1983) 83/52.

Goode, G. B.
1883. Materials for a history of the swordfishes. Rep. U.S. Commer. Fish. (1880) 8:287-394.

Grall, C., D. P. deSylva, and E. D. Houde
1983. Distribution, relative abundance, and seasonality of swordfish larvae. Trans. Am. Fisheries Soc. 112:235-246

Hoey, John J.
1983. Recurrent groups of apex predators (swordfish, sharks and tunas) in the western North Atlantic. (Ph.D. Dissertation, Univ. of R.I.)

Hoey, J. J. and J. G. Casey
1983a. Distribution and trends in New England style swordfish catch and effort. (Ph.D. Dissertation - Univ. of R.I.)

1983b. The magnitude and species composition of the incidental bycatch of pelagic longline fisheries in the Western North Atlantic (Ph.D. Dissertation - Univ. of R.I.)

Hurley, P. C. F., and T. D. Iles
1980. A review of the Canadian swordfish fishery. Int. Comm. Conserv. Atl. Tunas, Collect. Vol. Sci. Pap. Vol XV (SCRS 1980) No. 2:348-360.

Kikawa, S. and M. Honma
1983. Catch and overall fishing intensity of the Atlantic billfishes, 1956-1980. Int. Comm. Conserv. Atl. Tunas. Coll. Vol. Sci. Pap. 18(3):650-656.

Jolley, J. W. Jr.
1977. The biology and fishery of Atlantic Sailfish, Istiophorus platypterus, from southeast Florida. Fla. Mar. Res. Pubs. No. 28, 31 p.

Lange, A. M. T.
1982. Status of the squid (Loligo pealei and Illex illecebrosus) populations off the northeastern U.S.A. Lab. Ref. Doc. No. 82-27, 16 pp NEFC/NMFS Woods Hole, Mass.

Laurs, R. M., and R. J. Lynn
1977. Seasonal migration of North Pacific albacore, Thunnus alalunga, into North American waters: Distribution, relative abundance, and association with transition zone waters. Fish. Bull., U.S. 75:795-822.

Nakamura, H.
1969. Tuna distribution and migration. Fishing News Books Ltd., London, 76 p.

NMFS
1983. Preliminary fishery management plan for Atlantic billfishes and sharks. NOAA, National Marine Fisheries Service. Revised June 1983.

Pauly, D.
1980. The use of a pseudo catch curve for the estimation of mortality rates in Leiognathus splendens (Pisces: Leiognathidae) in western Indonesian waters. Meeresforschung 28:56-60.

Powers, J.
1982. Billfish, swordfish, and sharks. Report of the Southeast Fisheries Center Stock Assessment Workshop Aug. 3-6, 1982. NOAA Tech. Memo. No. 127.

Rich, W. H.
1947. The swordfish and the swordfishery of New England. Proc. Portland Soc. Nat. Hist. 4:1-102.

Ricker, W. E.
1975. Computation and interpretation of biological statistics of fish populations. Fish. Res. Board Can., Bull. 191, 382 p.

Ricklefs, R.E.
1967. A graphical method of fitting equations to growth curves. Ecology 48(6):978-983.

Roberts, P. E.
1980. Surface distribution of albracore tuna, Thunnus alalunga Bonnaterre, in relation to the subtropical convergence zone east of New Zealand. N. Z. J. Mar. Freshw. Res. 14(4):373-380.

Robson, D. S. and D. G. Chapman
1961. Catch curves and mortality rates. Trans. Am. Fish. Soc. 90:181-189.

Rothschild, B. J. and M. Y. Yong
1970. Apparent abundance, distribution and migrations of albracore, Thunnus alalunga, on the North Pacific longlining grounds. U.S. Fish Wildl. Serv., Spec. Sci. Rep.-Fish. 623, 37 p.

Ruhle, P.
1969. Longlining for swordfish. New England Marine Resources Information Program. Pub. 4, July 1969.

SAFMC
1982. Source Document for the swordfish fishery management plan. Prepared by the South Atlantic Fishery Management Council, Charleston, S.C.

Scott, W. B. and S. N. Tibbo
1968. Food and feeding habits of swordfish, Xiphias gladius, in the western North Atlantic. J. Fish. Res. Bd. Can. 25:903-919

Sharp, G. D.
1978. Behavioral and physiological properties of tuna and their effects on vulnerability to fishing gear. In G. D. Sharp and A. E. Dixon (editors), The physiological ecology of tunas. Academic Press, N.Y.

Squire, J. L., Jr.
1962. Distribution of tunas in oceanic waters of the Northwest Atlantic. U.S. Fish. Wildl. Serv., Fish. Bull. 62(211):323-341.

Ssentongo, G. W. and P. A. Larkin
1973. Some simple methods of estimating mortality rates of exploited fish populations. J. Fish. Res. Bd. Canada 30(5):695-698.

Stillwell, C. E. and N. E. Kohler
1983. The food and feeding ecology of the swordfish (Xiphias gladius) in the Western North Atlantic with estimates of daily ration. (DRAFT M.S.)

Tibbo, S. N., L. R. Day, and W. F. Doucet
1961. The swordfish (Xiphias gladius L.), its life history and economic importance in the northwest Atlantic. Fish. Res. Board Can., Bull. 130, 47 p.

Toll, R. B., and S. C. Hess
1981. Cephalopods in the diet of the swordfish, Xiphias gladius, from the Florida Straits. Fish. Bull., U.S. 79:765-774.

Wilson, P. C. and M. B. Bartlett
1967. Inventory of U.S. exploratory longline fishing effort and catch rates for tunas and swordfish in the Northwestern Atlantic, 1957-65. U.S. Fish. and Wildlife Serv. Special Scientific Report - Fisheries. No. 543

Wilson, C. A. and J. M. Dean
1983. Age determination and ecology of South Carolina swordfish. Final Report South Carolina Sea Grant.

Zweifel, J.R. and B. Slater
1982. Some comments on the estimation of swordfish growth and mortality rates and a proposed sample design for the collection of catch data from the commercial fishery. NMFS, Southeast Fisheries Center SEFC/SAW/BSS/8.