

Yellowtail Flounder - Georges Bank





Figure C1. Northeast Region Yellowtail Flounder – Georges Bank fishing mortality. Due to the periodic recalculation of F and B by stock assessment scientists, the initial estimates of F and B used in the overfished declaration are included to illustrate the uncertainty of stock assessment estimates.

Yellowtail Flounder - Cape Cod / Gulf of Maine



Overfished Declaration

Figure C2. Northeast Region Yellowtail Flounder – Cape Cod / Gulf of Maine. Due to the periodic recalculation of F and B by stock assessment scientists, the initial estimates of F and B used in the overfished declaration are included to illustrate the uncertainty of stock assessment estimates. *The terminal year’s estimate of biomass and fishing mortality was adjusted using Mohn’s rho, to account for the retrospective pattern of overestimating biomass and underestimating fishing mortality; this adjustment was judged to be the best measure of stock size and fishing mortality (this is a more conservative estimate).

Red Snapper - Gulf of Mexico




Figure C3. Southeast Region Red Snapper – Gulf of Mexico

NOTE: This stock was removed from the overfishing list in 2012, based on catch that did not exceed the overfishing level. This graph is based on the latest stock assessment, conducted in 2009. A new stock assessment is scheduled for completion in 2013 and results will be provided in the 2013 Status of U.S. Fisheries Report to Congress.

Black Sea Bass - South Atlantic Coast




Figure C4. Black sea bass – South Atlantic Coast




Figure C5. Highly Migratory Species Bluefin Tuna - Western Atlantic. Results from the Low Recruitment Scenario (LRS) and High Recruitment Scenario (HRS) are not combined, but are presented separately and both are considered equally plausible. The FMP has not been internationally implemented.




Figure C6. Northeast Region White Hake – Gulf of Maine / Georges Bank. B_{msy} proxy is in kg/tow. Due to the periodic recalculation of F and B by stock assessment scientists, the initial estimates of F and B used in the overfished declaration are included to illustrate the uncertainty of stock assessment estimates.

Gray Triggerfish - Gulf of Mexico




Figure C7. Southeast Region Gray Triggerfish – Gulf of Mexico. *This stock will not be rebuilt by the target year of 2013, so rebuilding measures will be revised in Amendment 37 to the fishery management plan.